



19005 Coast Highway One, Jenner, CA 95450 ■ 707.847.3437 ■ info@fortross.org ■ www.fortross.org

Title: **Vascular Plants of Salt Point State Park**

Author(s): **Warner**

Published by: Author

i

Source: Fort Ross Conservancy Library

URL: www.fortross.org

Fort Ross Conservancy (FRC) asks that you acknowledge FRC as the source of the content; if you use material from FRC online, we request that you link directly to the URL provided. If you use the content offline, we ask that you credit the source as follows: "Courtesy of Fort Ross Conservancy, www.fortross.org."

Fort Ross Conservancy, a 501(c)(3) and California State Park cooperating association, connects people to the history and beauty of Fort Ross and Salt Point State Parks.

© Fort Ross Conservancy, 19005 Coast Highway One, Jenner, CA 95450, 707-847-3437

Vascular Plants of Salt Point State Park

Salt Point State Park - Vascular Plants				
Presence of taxa according to Best, et al. (1996), except as footnoted ¹ for personal observations				
Taxonomic nomenclature follows Hickman, et al. (1993), except as footnoted ²				
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Division SPHENOPHYTA				
Equisetaceae (Horsetail Family) - 3 taxa				
<i>Equisetum arvense</i>	common horsetail	perennial	wet soils near streams, seeps	
<i>E. hyemale</i> ssp. <i>affine</i>	common scouring rush	perennial	moist scrub near streams	
<i>E. telmateia</i> ssp. <i>braunii</i>	giant horsetail	perennial	streambanks, wet soils	
Division PTEROPHYTA				
Blechnaceae (Deer Fern Family) - 2 taxa				
<i>Blechnum spicant</i>	deer fern	perennial	moist woods, canyons	
<i>Woodwardia fimbriata</i>	western chain fern	perennial	along creeks, in springs, seeps	
Dennstaedtiaceae (Bracken Family) - 1 taxon				
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken	perennial	widespread in grassland, scrub	
Dryopteridaceae (Wood Fern Family) - 3 taxa				
<i>Athyrium filix-femina</i> var. <i>cyclosorum</i>	lady fern	perennial	moist woods, forests	
<i>Dryopteris arguta</i>	wood fern	perennial	woods, forests	
<i>Polystichum munitum</i>	western sword fern	perennial	damp forests, scrub, along streams	
Ophioglossaceae (Adder's-tongue Family) - 1 taxon				
<i>Botrychium multifidum</i>	grape-fern	perennial	wet grassland, scrub	
Polypodiaceae (Polypody Family) - 3 taxa				
<i>Polypodium californicum</i>	California polypody	perennial	damp woods, stream banks	
<i>P. glycyrrhiza</i>	licorice fern	perennial	damp canyons, on rocks, logs	
<i>P. scouleri</i>	leather leaf fern	perennial	on rocks, cliffs near ocean	
Pteridaceae (Brake Family) - 3 taxa				
<i>Adiantum aleuticum</i>	five-finger fern	perennial	wooded riparian	
<i>A. jordanii</i>	California maidenhair	perennial	damp woods	
<i>Pentagramma triangularis</i>	goldback fern	perennial	banks, cliffs, logs	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Division CONIFEROPHYTA			perennial	
Cupressaceae (Cypress Family) - 2 taxa				
<i>Cupressus goveniana</i> ssp. <i>pigmaea</i>	pygmy or Mendocino cypress	small tree	pygmy forest	

Vascular Plants of Salt Point State Park

<i>C. macrocarpa</i> *	Monterey cypress	tree	coastal grassland	
Pinaceae (Pine Family) - 5 taxa				
<i>Abies grandis</i>	grand fir	tree	forest	
<i>Pinus contorta</i> ssp. <i>bolanderi</i>	pygmy pine	small tree	pygmy forest	
<i>Pinus muricata</i>	Bishop pine	tree	forest	
<i>Pseudotsuga menziesii</i>	Douglas-fir	tree	forest	
<i>Tsuga heterophylla</i>	western hemlock	tree	forest	
Taxaceae (Yew Family) - 1 taxon				
<i>Torreya californica</i>	California nutmeg	shrub; tree	moist, shady woodland, forest	
Taxodiaceae (Bald-cypress Family) - 1 taxon				
<i>Sequoia sempervirens</i>	coast redwood	tree	redwood forest	
Division ANTHOPHYTA				
Class DICOTYLEDONES				
Aizoaceae (Carpetweed or Fig-marigold Family) - 2 taxa				
<i>Carpobrotus chilensis</i> *	sea fig	perennial (trailing, mat-forming)		
<i>C. edulis</i> *	Hottentot-fig; iceplant	perennial (trailing, mat-forming)		
Anacardiaceae (Cashew or Sumac Family) - 1 taxon				
<i>Toxicodendron diversilobum</i>	poison-oak	shrub; vine	scrub; woodland; forest	
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae - 20 taxa				
<i>Angelica hendersonii</i>	angelica	perennial	scrub; grassland	
<i>Apium graveolens</i> *	celery	annual; perennial	damp areas	
<i>Conioselinum pacificum</i>	conioselinum	perennial	scrub	
<i>Conium maculatum</i> *	poison hemlock	perennial	moist, disturbed sites; scrub, stream	
<i>Daucus carota</i> *	Queen Anne's lace	annual	grassland; disturbed sites	
<i>D. pusillus</i>	rattlesnake weed	annual	grassland	
<i>Eryngium armatum</i>	coyote thistle	perennial	moist grassland	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae	(continued)			
<i>Foeniculum vulgare</i> *	fennel	perennial	disturbed sites; roadsides	
<i>Glehnia littoralis</i> ssp. <i>leiocarpa</i>	beach silvertop	perennial	coastal strand	
<i>Heracleum lanatum</i>	cow parsnip	perennial	moist coastal scrub, grassland	
<i>Ligusticum apiifolium</i>	lovage	perennial	shady banks, grassland	
<i>Oenanthe sarmentosa</i>	ditch-carrot	perennial	marshes; streamsides	
<i>Osmorhiza chilensis</i>	sweet cicely	perennial	moist, shady woodland, forest	

Vascular Plants of Salt Point State Park

<i>Perideridia gairdnerii</i> ssp. <i>gairdnereii</i>	yampah	perennial	grassland; woodland	
<i>Sanicula arctopoides</i>	footsteps-of-spring	perennial	coastal bluffs; grassland	
<i>S. bipinnatifida</i>	purple sanicle	perennial	grassland	
<i>S. crassicaulis</i>	snakeroot	perennial	grassland; woodland	
<i>S. laciniata</i>	cutleaf sanicle	perennial	grassland; scrub	
<i>Scandix pecten-veneris</i> *	Venus's needle	annual	disturbed sites; grassland	
<i>Torilis arvensis</i> *	hedge-parsley	annual	woodland; scrub; grassland	
Apocynaceae (Dogbane Family) - 1 taxon				
<i>Vinca major</i> *	periwinkle	perennial (groundcov)	disturbed sites; homesteads	
Araliaceae (Ginseng Family) 1 taxon				
<i>Aralia californica</i>	elk-clover; spikenard	perennial	moist sites; streamsides	
Aristolochiaceae (Pipevine Family) - 1 taxon				
<i>Asarum caudatum</i> ^	wild-ginger	perennial	streamsides; moist thickets	
Asteraceae (Sunflower Family) aka Compositae - 67 taxa				
<i>Achillea millefolium</i>	yarrow	perennial	grassland	
<i>Adenocaulon bicolor</i> ^	trailfinder	perennial	shaded woodland, forest	
<i>Agoseris apargioides</i> ^	seaside agoseris	perennial	sandy soils; grassland; dunes	
<i>A. heterophylla</i> ^	annual mountain dandelion	annual	grassland	
<i>Ambrosia chamissonis</i>	beach-bur	perennial	beach; dunes	
<i>Anaphalis margaritacea</i> ^	pearly everlasting	perennial	grassland; scrub	
<i>Artemisia californica</i> ^	California sagebrush	shrub	scrub; grassland	
<i>A. douglasiana</i>	mugwort	perennial	wetlands; grassland; scrub	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
<i>Artemisia suksdorfii</i>	coastal mugwort	perennial	wetlands; scrub; grassland	
<i>Aster chilensis</i> ^	aster	perennial	scrub; grassland	
<i>A. radulinus</i> ^	aster	perennial	woodland; scrub	
<i>Baccharis pilularis</i>	coyote brush	shrub	scrub; grassland	
<i>Bellis perennis</i> *	English daisy	perennial	moist grassland; disturbed sites	
<i>Calycadenia multiglandulosa</i>	sticky rosin weed	annual	dry grassland, slopes	
<i>Carduus pycnocephalus</i> *	Italian thistle	annual	grassland; disturbed sites	
<i>Chamomilla saevoeolens</i> *	pineapple weed	annual	disturbed sites	
<i>Cichorium intybus</i> *	chicory	perennial	disturbed sites; grassland	
<i>Cirsium douglasii</i> var. <i>breweri</i>	swamp thistle	biennial; perennial	wet grassland; scrub	
<i>C. occidentale</i> var. <i>occidentale</i>	cobweb thistle	biennial	grassland; coastal slopes; dunes	

Vascular Plants of Salt Point State Park

<i>C. quercetorum</i>	brownie thistle	perennial	grassland	
<i>C. vulgare</i> *	bull thistle	biennial	grassland; scrub; disturbed, moist s	
<i>Conyza canadensis</i> ¹	horseweed	annual	disturbed sites	
<i>Cotula coronopifolia</i> *	brass-buttons	perennial	coastal wetlands	
<i>Delairea odorata</i> * (= <i>Senecio mikanioides</i> ²)	Cape-ivy	perennial (vinelike)	scrub; woodland; disturbed sites	
<i>Erechtites glomerata</i> *	Australian fireweed	perennial	scrub, grassland, woodland	
<i>E. minima</i> *	Australian fireweed	annual; perennial	scrub, grassland, woodland	
<i>Erigeron glaucus</i>	seaside daisy	perennial	coastal bluffs, grassland	
<i>Eriophyllum lanatum</i> var. <i>arachnoideum</i> ¹	woolly sunflower	perennial	banks, slopes; scrub	
<i>E. staechadifolium</i>	lizardtail; seaside woolly sunfl	shrub	coastal bluffs; scrub	
<i>Filago californica</i>	herba impia	annual	grassland; scrub	
<i>Gnaphalium californicum</i> ¹	cudweed	annual; biennial	scrub; grassland	
<i>G. luteo-album</i> *	cudweed	annual	grassland; disturbed sites	
<i>G. purpureum</i>	cudweed	annual; perennial	grassland; disturbed sites	
<i>G. ramosissimum</i> ¹	cudweed	biennial	grassland; scrub	
<i>G. stramineum</i>	cudweed	annual; biennial	scrub; slopes	
<i>Grindelia stricta</i> var. <i>platyphylla</i>	gumplant	perennial	grassland; coastal bluffs, slopes	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
<i>Helenium puberulum</i>	sneezeweed	annual; perennial	wetlands	
<i>Hemizonia congesta</i> ssp. <i>clevelandii</i> ¹	hayfield tarweed	annual	grassland (upper prairie)	
<i>H. corymbosa</i> ssp. <i>corymbosa</i> ¹	tarplant	annual	grassland	
<i>Hesperevax sparsiflora</i> var. <i>sparsiflora</i>	hesperevax	annual	grassland; scrub	
<i>Heterotheca sessiliflora</i> ssp. <i>bolanderi</i>	goldenaster	perennial	grassland; coastal bluffs	
<i>Hieracium albiflorum</i>	hawkweed	perennial	dry woodland; forest	
<i>Hypochaeris glabra</i> *	smooth cat's-ear	annual	grassland; dunes; disturbed sites	
<i>H. radicata</i> *	rough cat's-ear	perennial	grassland; disturbed sites	
<i>Lasthenia californica</i>	goldfields	annual	grassland	
<i>L. glaberrima</i> ¹	marsh lasthenia	annual	salt marsh; wetlands	
<i>L. macrantha</i> ssp. <i>macrantha</i>	goldfields	perennial	grassland	
<i>Layia gaillardioides</i> ¹	layia	annual	scrub; grassland	
<i>L. platyglossa</i> ssp. <i>platyglossa</i>	tidy-tips	annual	grassland; coastal bluffs	
<i>Leontodon taraxacoides</i> *	hawkbit	annual; perennial	grassland	
<i>Lessingia filaginifolia</i> var. <i>californica</i>	California-aster	perennial	grassland; slopes	
<i>Leucanthemum maximum</i> *	daisy	perennial	coastal strand	

Vascular Plants of Salt Point State Park

<i>Madia exigua</i>	threadstem madia	annual	grassland; woodland	
<i>M. madioides</i>	woodland madia	perennial	woodland; forest	
<i>M. minima</i>	little madia	annual	woodland; forest; scrub	
<i>Microseris laciniata</i>	microseris	perennial	grassland	
<i>Petasites frigidus</i> var. <i>palmatus</i>	coltsfoot	perennial	streamsides; shaded wetlands	
<i>Psilocarphus tenellus</i> var. <i>tenellus</i>	woolly-heads	annual	disturbed, compacted soil	
<i>Senecio vulgaris</i> *	groundsel	annual	disturbed sites	
<i>Silybum marianum</i> *	milk thistle	annual; biennial	disturbed sites	
<i>Solidago canadensis</i> ssp. <i>elongata</i>	Canada goldenrod	perennial	scrub	
<i>S. spathulata</i> ssp. <i>spathulata</i>	coast goldenrod	perennial	sandy soils; dunes	
<i>Soliva sessilis</i> *	soliva	annual	disturbed, compacted soil	
<i>Sonchus asper</i> * ssp. <i>asper</i>	prickly sow-thistle	annual	disturbed sites; grassland	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
<i>Sonchus oleraceus</i> *	common sow-thistle	annual	disturbed sites; grassland; scrub	
<i>Taraxacum officinale</i> *	dandelion	perennial	disturbed, moist sites; grassland	
<i>Wyethia angustifolia</i>	narrow-leaved mule's-ears	perennial	grassland	
Berberidaceae (Barberry Family) - 2 taxa				
<i>Berberis nervosa</i>	longleaf mahonia	shrub	woodland	
<i>Vancouveria planipetala</i>	redwood-ivy; inside-out flower	subshrub (groundcover)	moist coniferous forest	
Betulaceae (Birch Family) - 2 taxa				
<i>Alnus rubra</i>	red alder	tree	streamsides	
<i>Corylus cornuta</i> var. <i>californica</i>	hazelnut; filbert	shrub	damp woodland; forest	
Boraginaceae (Borage Family) - 2 taxa				
<i>Amsinckia spectabilis</i>	seaside fiddleneck	annual	coastal grassland; dunes	
<i>Myosotis discolor</i> *	blue scorpion-grass	annual; biennial	disturbed sites	
Brassicaceae (Mustard Family) aka Cruciferae - 9 taxa				
<i>Brassica nigra</i> *	black mustard	annual	disturbed sites	
<i>B. rapa</i> *	field mustard	annual	disturbed sites, grassland	
<i>Cakile maritima</i> *	sea rocket	annual	dunes, beaches	
<i>Capsella bursa-pastoris</i> *	shepherd's purse	annual	disturbed sites	
<i>Cardamine californica</i> var. <i>californica</i>	milk maids	perennial	grassland, woodland, forest	
<i>C. oligosperma</i>	bitter cress	annual	disturbed sites, grassland, scrub	
<i>Hirschfeldia incana</i> *	summer mustard	biennial to perennial	disturbed sites	
<i>Raphanus sativus</i> *	wild radish	annual	disturbed sites	

Vascular Plants of Salt Point State Park

	<i>Rorippa nasturtium-aquaticum</i>	water cress	perennial	wet places, streams, seeps
Campanulaceae (Bellflower Family) - 1 taxon				
	<i>Campanula californica</i>	swamp harebell	perennial	freshwater swamp
Caprifoliaceae (Honeysuckle Family) - 3 taxa				
	<i>Lonicera hispidula</i> var. <i>vacillans</i>	honeysuckle	perennial vine	woodland; scrub
	<i>L. involucrata</i>	twinberry	shrub	wet scrub; streamsides
	<i>Sambucus racemosa</i>	red elderberry	shrub	wet places; scrub
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Caprifoliaceae (Honeysuckle Family continued)				
	<i>Symporicarpos albus</i> var. <i>laevigatus</i>	snowberry	shrub	wet places; streamsides
Caryophyllaceae (Pink Family) - 12 taxa				
	<i>Cardionema ramosissimum</i>	sand mat	perennial	coastal grassland; dunes
	<i>Cerastium arvense</i>	field chickweed	perennial	grassland; rocky sites
	<i>C. glomeratum</i> *	mouse-ear chickweed	annual	grassland; disturbed sites
	<i>Polycarpon tetraphyllum</i> *	four-leaved allseed	annual	grassland; dunes; disturbed sites
	<i>Sagina maxima</i> ssp. <i>crassicaulis</i>	big pearlwort	perennial	coastal bluffs
	<i>S. procumbens</i>	Arctic pearlwort	perennial	moist, sandy or gravelly places
	<i>Silene gallica</i> *	windmill pink	annual	grassland; disturbed sites
	<i>Spergula arvensis</i> *	stickwort	annual	grassland; disturbed sites
	<i>Spergularia macrotheca</i>	sticky sand-spurrey	perennial	rocky, sandy coastal grassland, blu
	<i>S. marina</i>	coastal sand-spurrey	annual	muddy, alkaline marshy places
	<i>S. rubra</i> *	sand-spurrey	annual; perennial	disturbed, compacted soil
	<i>Stellaria media</i> *	common chickweed	annual	moist, disturbed sites
Celastraceae (Staff-tree Family) - 2 taxa				
	<i>Euonymus occidentalis</i>	western burning bush	shrub	moist, shady canyons
	<i>Paxistima myrsinoides</i>	Oregon boxwood	subshrub	shaded slopes in woodland
Chenopodiaceae (Goosefoot Family) - 1 taxon				
	<i>Atriplex californica</i>	saltbush	perennial	sandy places; marshes
Convolvulaceae (Morning-glory Family) - 4 taxa				
	<i>Calystegia occidentalis</i>	morning-glory	perennial	scrub
	<i>C. purpurata</i> ssp. <i>saxicola</i>	morning-glory	perennial	scrub
	<i>C. soldanella</i>	beach morning-glory	perennial	coastal strand; dunes
	<i>Dichondra donelliana</i>	dichondra	perennial (mat-formi	grassland
Crassulaceae (Stonecrop Family) - 2 taxa				
	<i>Crassula connata</i>	sand pygmy-weed	annual	disturbed sites; grassland

Vascular Plants of Salt Point State Park

<i>Dudleya farinosa</i>	live-forever	perennial	coastal bluffs; rocky sites
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form
Cucurbitaceae (Gourd Family) - 2 taxa			
<i>Marah fabaceus</i> var. <i>fabaceus</i>	wild cucumber	perennial (trailing)	scrub; grassland; woodland
<i>M. oreganus</i>	coast man-root	perennial (trailing)	scrub; canyons
Dipsacaceae (Teasel Family) - 1 taxon			
<i>Dipsacus sativus</i> *	Fuller's teasel	biennial	disturbed sites; roadside banks
Ericaceae (Heather Family) - 12 taxa			
<i>Arbutus menziesii</i>	Pacific madrone	tree	woodland; forest
<i>Arctostaphylos canescens</i>	hoary manzanita	shrub	chaparral; scrub woodland
<i>A. columbiana</i>	hairy manzanita	shrub	woodland openings
<i>A. nummularia</i>	shatterberry; fire manzanita	shrub	woodland openings; pygmy forest
<i>A. uva-ursi</i> forma <i>coactilis</i> ²	bearberry	shrub (low)	marine terrace
<i>Gaultheria shallon</i>	salal	shrub (low)	woodland; forest; scrub
<i>Hemitomes congestum</i>	gnome plant	perennial (non-green)	forest, in humus
<i>Ledum glandulosum</i>	western Labrador-tea	shrub	coastal wetlands
<i>Rhododendron macrophyllum</i>	California rose-bay	shrub	woodland; forest; pygmy forest
<i>R. occidentale</i>	western azalea	shrub	moist sites; streambanks
<i>Vaccinium ovatum</i>	blue huckleberry	shrub	woodland; forest; scrub
<i>V. parvifolium</i>	red huckleberry	shrub	woodland; forest
Euphorbiaceae (Spurge Family) - 2 taxa			
<i>Eremocarpus setigerus</i>	dove weed; turkey-mullein	annual	disturbed sites, grassland
<i>Euphorbia peplus</i> * ¹	petty spurge	annual	disturbed moist sites
Fabaceae (Legume Family) aka Leguminosae - 27 taxa			
<i>Acacia pycnantha</i> * ¹	golden wattle	tree	disturbed sites (old homestead)
<i>Astragalus nuttallii</i> var. <i>virgatus</i>	milkvetch	perennial	sandy soils; coastal strand; scrub; b
<i>Cytisus scoparius</i> *	Scotch broom	shrub	disturbed sites; roadsides; grassland
<i>Genista monspessulana</i> *	French broom	shrub	disturbed sites; roadsides; grassland
<i>Lathyrus vestitus</i>	hillside pea	perennial	scrub; woodland
<i>Lotus angustissimus</i> *	lotus	annual	disturbed sites; grassland
<i>L. formosissimus</i>	harlequin lotus	perennial	moist grassland

Vascular Plants of Salt Point State Park

	<i>L. heermannii</i> var. <i>orbicularis</i>	lotus	perennial	scrub
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Fabaceae (Legume Family) aka Leguminosae (continued)				
	<i>Lotus humistratus</i>	lotus	annual	grassland; open, gravelly sites, slopes
	<i>L. junceus</i> var. <i>biolettii</i>	lotus	perennial	coastal sand; scrub
	<i>L. micranthus</i> ¹	lotus	annual	grassland; open sites, slopes
	<i>L. purshianus</i> var. <i>purshianus</i>	Spanish clover	annual	disturbed sites; grassland
	<i>L. tenuis</i> ^{*2}	bird's-foot trefoil	perennial	disturbed sites; grassland
	<i>L. wrangelianus</i>	lotus	annual	grassland
	<i>Lupinus arboreus</i> var. <i>arboreus</i> [?]	yellow bush lupine	shrub	scrub; dunes
	<i>L. variicolor</i>	vari-colored lupine	perennial	grassland; coastal bluffs
	<i>Melilotus albus</i> ^{*2}	white sweetclover	annual; biennial	disturbed sites; roadsides
	<i>M. indicus</i> ^{*2}	sourclover	annual	disturbed sites; roadsides
	<i>Trifolium dubium</i> *	shamrock clover	annual	disturbed sites; grassland
	<i>T. macraei</i>	Chile clover	annual	grassland; disturbed sites
	<i>T. repens</i> *	white clover	perennial	moist, disturbed sites
	<i>T. variegatum</i>	whitetip clover	annual	grassland; moist sites
	<i>T. willdenovii</i> ¹	tomcat clover	annual	grassland; scrub; open sites
	<i>T. wormskioldii</i>	cow clover	perennial	grassland; moist sites
	<i>Vicia americana</i> var. <i>americana</i>	American vetch	perennial	moist woodland; forest; grassland
	<i>V. gigantea</i>	giant vetch	perennial	scrub; seeps; streamsides
	<i>V. sativa</i> * ssp. <i>nigra</i>	common vetch	annual	grassland; disturbed site
Fagaceae (Oak, Beech Family) - 7 taxa				
	<i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i>	giant chinquapin	tree	forest
	<i>C. chrysophylla</i> var. <i>minor</i>	dwarf chinquapin	shrub	pygmy forest
	<i>Lithocarpus densiflorus</i> var. <i>densiflorus</i> ¹	tanbark oak	tree	forest
	<i>Quercus agrifolia</i>	coast live oak	tree	woodland; forest
	<i>Q. chrysolepis</i>	canyon live oak	tree	forest
	<i>Q. garryana</i> var. <i>garryana</i>	Oregon oak	tree	woodland
	<i>Q. parvula</i> var. <i>shrevei</i>	Shreve oak	forest	forest
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Garryaceae (Silktassel Family) - 1 taxon				
	<i>Garrya elliptica</i>	silktassel	shrub	scrub; coastal bluffs

Vascular Plants of San Simeon State Park

Gentianaceae (Gentian Family) - 3 taxa				
	<i>Centaurium davyi</i>	centaurium	annual	moist grassland
	<i>Cicendia quadrangularis</i>	cicendia	annual	grassland
	<i>Gentiana affinis</i> var. <i>ovata</i>	Oregon gentian	perennial	scrub
Geraniaceae (Geranium Family) - 6 taxa				
	<i>Erodium botrys</i> *	broadleaf filaree	annual	disturbed sites; grassland
	<i>E. cicutarium</i> *	red-stemmed filaree	annual	disturbed sites; grassland
	<i>Geranium carolinianum</i>	geranium	annual	shady woodland
	<i>G. dissectum</i> *	cutleaf geranium	annual	disturbed sites; grassland
	<i>G. molle</i> *	softleaf geranium	annual; biennial	disturbed sites; grassland
	<i>Pelargonium grossularioides</i> *	garden geranium	perennial	disturbed sites; roadsides
Hippocastanaceae (Buckeye Family) - 1 taxon				
	<i>Aesculus californica</i>	California buckeye	tree	woodland; slopes
Hydrophyllaceae (Waterleaf Family) - 5 taxa				
	<i>Nemophila menziesii</i> ssp. <i>atomaria</i>	baby white-eyes	annual	grassland
	<i>N. parviflora</i> var. <i>parviflora</i>	nemophila	annual	shaded places
	<i>Phacelia bolanderi</i>	phacelia	perennial	moist coastal bluffs
	<i>P. californica</i>	phacelia	perennial	rocky places
	<i>P. malvifolia</i>	stinging phacelia	annual	gravelly, sandy slopes in scrub
Hypericaceae (St. John's Wort Family) = Clusiaceae (Best, et al.) - 2 taxa				
	<i>Hypericum anagalloides</i>	Tinker's penny	perennial	wet meadow
	<i>H. perforatum</i> *	Klamath weed	perennial	disturbed sites, trail- and roadsides
Lamiaceae (Mint Family) - 8 taxa				
	<i>Mentha pulegium</i> *	pennyroyal	perennial	moist to wet places
	<i>M. spicata</i> *	spearmint	perennial	moist to wet places
	<i>Monardella villosa</i> ssp. <i>villosa</i>	coyote mint	perennial; subshrub	coastal bluffs; scrub
	<i>Pogogyne zizyphoroides</i>	pogogyne	annual	wet depressions
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Lamiaceae (Mint Family continued)				
	<i>Prunella vulgaris</i> var. <i>lanceolata</i>	self-heal	perennial	moist places; grassland
	<i>Satureja douglasii</i>	yerba buena	perennial	moist scrub understory; woodland
	<i>Stachys ajugoides</i> var. <i>rigida</i>	hedge-nettle	perennial	grassland; scrub; woodland
	<i>S. chamissonis</i>	coast hedge-nettle	perennial	wet places
Lauraceae (Laurel Family) - 1 taxon				
	<i>Umbellularia californica</i>	California bay	shrub; tree	woodland; forest

Vascular Plants of Salt Point State Park

Limnanthaceae (Meadowfoam Family) - 1 taxon				
<i>Limnanthes douglasii</i> ssp. <i>douglasii</i>		common meadowfoam	annual	wet grassland; marshes
Linaceae (Flax Family) - 2 taxa				
<i>Linum bienne</i>		flax	perennial	grassland
<i>L. usitatissimum</i>		common flax	annual	disturbed sites, roadsides
Lythraceae (Loosestrife Family) - 1 taxon				
<i>Lythrum hyssopifolium</i>		loosestrife	annual; biennial	moist, disturbed sites
Malvaceae (Mallow Family) - 2 taxa				
<i>Sidalcea malvaeflora</i> ssp. <i>malvaeflora</i>		checkerbloom	perennial	grassland
<i>Sidalcea malvaeflora</i> ssp. <i>purpurea</i>		checkerbloom	perennial	grassland (Gerstle Cove area)
Myricaceae (Wax Myrtle Family) - 1 taxon				
<i>Myrica californica</i>		wax myrtle	shrub	moist canyons, slopes
Onagraceae (Evening Primrose Family) - 5 taxa				
<i>Camissonia cheiranthifolia</i>		beach evening-primrose	perennial	coastal strand; dunes
<i>C. ovata</i>		sun cup	perennial	moist grassland
<i>Clarkia davyi</i>		clarkia	annual	grassland
<i>Epilobium angustifolium</i> ssp. <i>circumvagum</i>		fireweed	perennial	moist, open places
<i>Fuchsia boliviana</i> *		fuchsia	shrub	gardens, old homesteads
Oxalidaceae (Oxalis Family) - 3 taxa				
<i>Oxalis albicans</i> ssp. <i>pilosa</i>		sorrel	perennial	grassland
<i>O. corniculata</i> *		oxalis	perennial	disturbed sites
<i>O. oregana</i>		redwood sorrel	perennial	redwood forest
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Papaveraceae (Poppy Family) - 3 taxa				
<i>Dicentra formosa</i>		western bleeding heart	perennial	moist redwood forest
<i>Eschscholzia californica</i>		California poppy	annual; perennial	grassland
<i>Platystemon californicus</i>		cream cups	annual	grassland
Philadelphaceae (Mock Orange Family) - 1 taxon				
<i>Whipplea modesta</i>		modesty; yerba de selva	subshrub	shaded woodland banks
Plantaginaceae (Plantain Family) - 6 taxa				
<i>Plantago coronopus</i> *		plantain	annual; biennial	disturbed sites; grassland; bluffs
<i>P. erecta</i>		plantain	annual	grassland
<i>P. lanceolata</i> *		English plantain	perennial	disturbed sites; grassland
<i>P. major</i> *		common plantain	perennial	disturbed moist sites
<i>P. maritima</i>		seaside plantain	perennial	coastal bluffs

Vascular Plants of Salt Point State Park

<i>P. subnuda</i>	plantain	perennial	marshes; moist bluffs, banks	
Plumbaginaceae (Leadwort Family) - 2 taxa				
<i>Armeria maritima</i> ssp. <i>californica</i>	sea thrift; sea-pink	perennial	coastal bluffs; coastal grassland	
<i>Limonium californicum</i>	sea-lavender; marsh-rosemary	perennial	salt marsh; moist bluffs	
Polemoniaceae (Phlox Family) - 4 taxa				
<i>Gilia capitata</i> ssp. <i>tomentosa</i>	gilia	annual	Miller Canyon	
<i>Linanthus bicolor</i> (= <i>Leptosiphon b.</i> ³)	baby stars	annual	grassland	
<i>Navarretia mellita</i>	honey-scented skunkweed	annual	sandy slopes (Stump Beach)	
<i>N. squarrosa</i>	skunkweed	annual	grassland; disturbed sites	
Polygalaceae (Milkwort Family) - 1 taxon				
<i>Polygala californica</i>	California milkwort	perennial	dry woodland	
Polygonaceae (Knotweed Family) - 8 taxa				
<i>Chorizanthe cuspidata</i> var. <i>villosa</i>	spineflower	annual	coastal, sandy soils	
<i>Eriogonum latifolium</i>	coast buckwheat	perennial	grassland, coastal bluffs	
<i>Polygonum arenastrum</i> *	common knotweed	annual	disturbed sites	
<i>P. paronychia</i> ¹	knotweed	subshrub	coastal strand; grassland	
<i>Rumex acetosella</i> *	sheep sorrel	perennial	disturbed sites, grassland	
<i>R. conglomeratus</i> *	dock	perennial	low-lying, moist areas	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Polygonaceae (Knotweed Family continued)				
<i>Rumex crispus</i> *	curly dock	perennial	disturbed moist sites	
<i>R. salicifolius</i> var. <i>crassus</i>	rumex	perennial	sandy coastal sites; dunes	
Portulacaceae (Purslane Family) - 2 taxa				
<i>Calandrinia ciliata</i>	red maids	annual	grassland; sandy areas	
<i>Claytonia perfoliata</i>	miner's lettuce	annual	grassland; scrub; woodland	
Primulaceae (Primrose Family) - 3 taxa				
<i>Anagallis arvensis</i> *	scarlet pimpernel	annual	disturbed sites; grassland	
<i>Centunculus minimus</i>	chaffweed	annual	wet places in grassland	
<i>T. latifolia</i>	starflower	perennial	woodland, forest	
Ranunculaceae (Buttercup Family) - 3 taxa				
<i>Aquilegia formosa</i> ¹	columbine	perennial	moist sites	
<i>Ranunculus californicus</i> ¹	California buttercup	perennial	moist grassland	
<i>R. muricatus</i> * ¹	stickseed buttercup	annual; biennial	moist, disturbed sites	
Rhamnaceae (Buckthorn Family) - 7 taxa				

Vascular Plants of Salt Point State Park

<i>Ceanothus foliosus</i> var. <i>foliosus</i>	wavyleaf ceanothus	shrub	dry woodland; scrub	
<i>Ceanothus gloriosus</i> var. <i>gloriosus</i>	glory mat	shrub	coastal bluffs, slopes	
<i>C. griseus</i>	Carmel ceanothus	shrub	coastal scrub, slopes	
<i>C. thyrsiflorus</i>	blue blossom	shrub	woodland; scrub	
<i>C. velutinus</i> var. <i>hookeri</i>	tobacco brush	shrub	woodland slopes	
<i>Rhamnus californica</i>	coffeberry	shrub	woodland; scrub	
<i>R. purshiana</i>	cascara	shrub	moist woodland	
Rosaceae (Rose Family) - 20 taxa				
<i>Acaena novae-zelandiae</i> *	biddy-biddy	perennial	grassland	
<i>Amelanchier alnifolia</i>	service-berry	shrub	woodland; open slopes; scrub	
<i>Cotoneaster pannosa</i> *	cotoneaster	shrub	scrub; disturbed sites	
<i>Fragaria chiloensis</i>	beach strawberry	perennial (trailing)	beach; dunes; grassland; scrub	
<i>F. vesca</i>	wood strawberry	perennial (trailing)	scrub; grassland; woodland	
<i>Heteromeles arbutifolia</i>	toyon	shrub	scrub; woodland	
<i>Horkelia californica</i>	horkelia	perennial	scrub; grassland	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Rosaceae (Rose Family continued)				
<i>Horkelia tenuiloba</i>	thin-lobed horkelia	perennial	grassland	
<i>Potentilla anserina</i> ssp. <i>pacifica</i>	silverweed	perennial	wet coastal places	
<i>P. glandulosa</i> ssp. <i>glandulosa</i>	sticky cinquefoil	perennial	grassland; woodland	
<i>Pyracantha angustifolia</i> *	firethorn	shrub	disturbed sites	
<i>Rosa californica</i>	California wild rose	shrub	scrub; moist places	
<i>R. eglanteria</i> *	sweet-brier	shrub	scrub; disturbed places	
<i>R. gymnocarpa</i>	wood rose	perennial; shrub	woodland; forest	
<i>R. nutkana</i> var. <i>nutkana</i>	Nootka rosa	shrub	moist flat areas	
<i>Rubus discolor</i> *	Himalayan blackberry	shrub	disturbed sites	
<i>R. leucodermis</i>	blackcap raspberry	shrub	slopes; canyons	
<i>R. parviflorus</i>	thimbleberry	shrub	moist places; scrub	
<i>R. spectabilis</i>	salmonberry	shrub	moist places; streamsides	
<i>R. ursinus</i>	California blackberry	shrub; trailing	grassland; scrub	
Rubiaceae (Madder Family) - 6 taxa				
<i>Galium aparine</i>	goose-grass; bedstraw; cleaver	annual (trailing)	grassland; woodland	
<i>G. californicum</i> ssp. <i>maritimum</i>	bedstraw	perennial (trailing)	woodland; forest	
<i>G. porrigens</i>	climbing bedstraw	perennial (climbing)	woodland; scrub; forest	
<i>G. trifidum</i> var. <i>pacificum</i>	bedstraw	perennial	wet places	

Vascular Plants of Salt Point State Park

<i>G. triflorum</i>	sweet-scented bedstraw	perennial	woodland	
<i>Sherardia arvensis</i> *	field madder	annual	grassland	
Salicaceae (Willow Family) - 5 taxa				
<i>S. hookeriana</i>	coastal willow	shrub	stream mouths	
<i>S. laevigata</i>	red willow	shrub; tree	streamsides	
<i>S. lucida</i> ssp. <i>lasiandra</i>	shining willow	shrub; tree	wet places; seeps	
<i>S. scouleriana</i>	Scouler's willow	tree	woodland	
<i>S. sitchensis</i>	Sitka willow	shrub; tree	streamsides	
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Saxifragaceae (Saxifrage Family) - 3 taxa				
<i>Heuchera micrantha</i>	alumroot	perennial	damp banks, rocks, cliffs	
<i>H. pilosissima</i>	coast alumroot	perennial	coastal bluffs, slopes	
<i>Tolmiea menziesii</i>	pig-a-back plant	perennial	damp, cool places (Miller Cr.)	
Scrophulariaceae (Figwort Family) - 13 taxa				
<i>Castilleja ambigua</i> ssp. <i>ambigua</i>	johnny-nip	annual	saline, marshy areas	
<i>C. attenuata</i>	valley tassels	annual	grassland	
<i>C. latifolia</i>	paintbrush	perennial, subshrub	coastal bluffs	
<i>C. subinclusa</i> ssp. <i>franciscana</i>	paintbrush	perennial	dry slopes (Miller Cr. Canyon)	
<i>C. wightii</i>	paintbrush	perennial, subshrub	scrub; coastal bluffs	
<i>Digitalis purpurea</i> *	foxglove	perennial	moist forest, other sites	
<i>Mimulus aurantiacus</i>	sticky monkeyflower	perennial; subshrub	scrub; woodland	
<i>M. guttatus</i>	seep, or large, monkeyflower	annual, perennial	wet places	
<i>Scrophularia californica</i> ssp. <i>californica</i>	bee plant	perennial	moist to wet places; scrub	
<i>Synthyris reniformis</i> ^	snow queen	perennial	moist, shady sites; woodland	
<i>Triphysaria eriantha</i> ssp. <i>rosea</i>	johhny-tuck	annual	grassland	
<i>T. pusilla</i>	dwarf owl's-clover	annual	disturbed sites; grassland	
<i>T. versicolor</i> ssp. <i>versicolor</i>	owl's-clover	annual	grassland	
Solanaceae (Nightshade Family) - 2 taxa				
<i>Solanum americanum</i>	small-flowered nightshade	annual, perennial, sul	moist places	
<i>S. furcatum</i> *	forked nightshade	perennial	disturbed sites, bluffs at Stump Bea	
Urticaceae (Nettle Family) - 1 taxon				
<i>Urtica dioica</i> ssp. <i>gracilis</i>	American stinging nettle	perennial	wet thickets; streamsides	

Vascular Plants of Salt Point State Park

Violaceae (Violet Family) - 3 taxa				
	<i>Viola adunca</i>	western dog violet	perennial	grassland
	<i>V. glabella</i> ¹	stream violet	perennial	along streams
	<i>V. sempervirens</i>	redwood violet	perennial	woodland, forest
Viscaceae (Mistletoe Family) - 1 taxon				
	<i>Arceuthobium campylopodum</i>	western dwarf mistletoe	perennial (hemi-parasitic)	on <i>Pinus contorta</i>
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Class MONOCOTYLEDONES				
Araceae (Arum Family) - 1 taxon				
	<i>Zantedeschia aethiopica</i>	calla lily	perennial	seeps; streamsides; springs; moist grassland
Cyperaceae (Sedge Family) - 9 taxa				
	<i>Carex gynandra</i>	sedge	perennial	moist grassland
	<i>C. hendersonii</i> ¹	sedge	perennial	shaded, moist woodland, forest edges
	<i>C. obnupta</i>	slough sedge	perennial	marshes; wet grassland, scrub; seeps
	<i>Cyperus eragrostis</i> var. <i>eragrostis</i>	nut-sedge	perennial	moist grassland, woodland, disturbed areas
	<i>Scirpus americanus</i>	American bulrush	perennial	marshes; streamsides
	<i>S. cernuus</i>	bulrush	perennial	wet ground; marshes; seeps
	<i>S. koilolepis</i>	bulrush	perennial	wet ground; seeps
	<i>S. microcarpus</i>	panicled bulrush	perennial	seeps; streamsides; marshes
	<i>S. pungens</i>	threesquare	perennial	marshes; wet, alkaline soils
Iridaceae (Iris Family) - 4 taxa				
	<i>Iris douglasiana</i>	Douglas iris	perennial (rhizome)	grassland; open woodland
	<i>I. longipetala</i>	long-petaled iris	perennial (rhizome)	moist, open sites
	<i>Sisyrinchium bellum</i>	blue-eyed grass	perennial (rhizome)	grassland; open woodland
	<i>S. californicum</i>	golden-eyed grass	perennial (rhizome)	moist to wet, open sites
Juncaceae (Rush Family) - 11 taxa				
	<i>Juncus bolanderi</i>	Bolander's rush	perennial	wet ground; marshes; seeps
	<i>J. bufonius</i> var. <i>bufonius</i>	toad rush	annual	seasonally moist ground
	<i>J. capitatus</i> *	rush	annual	temporally wet grassland, slopes
	<i>J. covillei</i>	rush	perennial	wet grassland (upper prairie)
	<i>J. effusus</i> ¹	common rush	perennial	marshes; wet grassland, seeps, slopes
	<i>J. ensifolius</i>	rush	perennial	marshes; wet grassland
	<i>J. lesueurii</i> ¹	coastal wire rush	perennial	sandy flats, slopes, grassland; dune habitats

Vascular Plants of Salt Point State Park

	<i>J. patens</i> ¹	gray rush	perennial	damp grassland, slopes; streamside
	<i>J. phaeocephalus</i> ¹	rush	perennial	marshes; wet ground
	<i>J. xiphiooides</i>	rush	perennial	marshes; springs
	<i>Luzula comosa</i> ¹	wood rush	perennial	moist grassland, woodland, slopes
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Lemnaceae (Duckweed Family) - 1 taxon				
	<i>Lemma minor</i> ¹	duckweed	perennial	surface of pools, ponds, slow-movi
Liliaceae (Lily Family) - 23 taxa				
	<i>Allium dichlamydeum</i> ¹	onion	perennial (bulb)	grassland; rocky bluffs
	<i>A. unifolium</i>	onion	perennial (bulb)	grassland; open sites
	<i>Brodiaea terrestris</i> ssp. <i>terrestris</i>	ground brodiaea	perennial (corm)	grassland; open woodland
	<i>Calochortus tolmiei</i>	pussy ears	perennial (bulb)	grassland; woodland
	<i>C. uniflorus</i>	pink star-tulip	perennial (bulb)	grassland; woodland
	<i>Clintonia andrewsiana</i> ¹	clintonia	perennial (rhizome)	moist, shaded woodland
	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	blue dicks	perennial (corm)	grassland; open sites, banks
	<i>Disporum hookeri</i> ¹	fairy bells	perennial (rhizome)	shaded sites; woodland; forest
	<i>D. smithii</i>	fairy bells	perennial (rhizome)	coastal shaded, moist sites (Miller)
	<i>Kniphofia uvaria</i> *	red-hot poker	perennial (rhizome)	disturbed sites (garden escape)
	<i>Lilium columbianum</i>	Oregon lily	perennial (rhizome)	dry scrub, grassland, forest opening
	<i>L. maritimum</i>	coast lily	perennial (rhizome)	moist, sandy sites in woodland, for
	<i>L. pardalinum</i> ssp. <i>pardalinum</i>	leopard lily	perennial (rhizome)	springs, seeps, streamsides
	<i>Scoliopus bigelovii</i>	fetid adder's tongue	perennial (rhizome)	moist, shaded woodland, forest
	<i>Smilacina stellata</i>	false Solomon's-seal	perennial (rhizome)	moist sites; scrub; woodland; fores
	<i>Trillium ovatum</i> ssp. <i>ovatum</i>	western trillium	perennial (rhizome)	moist woods, scrub
	<i>Triteleia laxa</i>	Ithuriel's spear	perennial (corm)	dry flats, slopes in scrub, woodland
	<i>T. peduncularis</i> ¹	long-rayed brodiaea	perennial (corm)	wet grassland; marshes
	<i>Veratrum fimbriatum</i>	fringed false hellebore	perennial (rhizome)	wet sites; streamsides; meadows
	<i>Xerophyllum tenax</i>	bear-grass	perennial (rhizome)	dry, open sites
	<i>Yucca</i> * sp.	yucca; Spanish bayonet	perennial -tree/shrub	ornamental; garden escape
	<i>Zigadenus fremontii</i> var. <i>fremontii</i>	star lily	perennial (rhizome)	drier sites, slopes; scrub; woodland
	<i>Z. micranthus</i> var. <i>fontanus</i>	star lily	perennial (rhizome)	moist sites; flats

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Orchidaceae (Orchid Family) - 3 taxa				
	<i>Coralorrhiza striata</i>	striped coralroot	perennial (non-green)	dense, shaded woodland, forest
	<i>Epipactis gigantea</i>	stream orchid	perennial (rhizome)	streamsides
	<i>Spiranthes romanzoffiana</i>	ladies' tresses	perennial (rhizome)	moist grassland, seeps
Poaceae (Grass Family) aka Graminae - 54 taxa				
	<i>Agrostis pallens</i>	thin grass	perennial (rhizomes)	grassland; woodland
	<i>Aira caryophyllea</i> *	silver European hairgrass	annual	grassland; disturbed sites
	<i>A. praecox</i> *	hairgrass	annual	bluffs; grassland
	<i>Ammophila arenaria</i> *	European beachgrass	perennial (rhizome)	dunes; beaches
	<i>Anthoxanthum odoratum</i> *	sweet vernal grass	perennial (cespítose)	moist grassland
	<i>Arundo donax</i> *	giant reed	perennial (rhizomes)	seeps; wetlands (Stump Beach)
	<i>Avena sativa</i> *	cultivated oat	annual	disturbed sites
	<i>Briza maxima</i> *	rattlesnake grass	annual	grassland; disturbed sites; roadcuts
	<i>B. minor</i> *	little quaking grass	annual	grassland; disturbed sites
	<i>Bromus carinatus</i> var. <i>carinatus</i>	California brome	perennial (cespítose)	grassland; woodland
	<i>B. carinatus</i> var. <i>maritimus</i>	California brome	perennial (cespítose)	dunes; coastal bluffs, grassland
	<i>B. diandrus</i> *	ripgut brome	annual	sandy soils; grassland; disturbed site
	<i>B. hordeac eus</i> *	soft chess	annual	grassland; woodland; disturbed site
	<i>B. madritensis</i> * ssp. <i>rubens</i>	red brome	annual	grassland; disturbed sites
	<i>Calamagrostis bolanderi</i>	Bolander's reed grass	perennial (rhizome)	grassland
	<i>Calamagrostis nutkaensis</i>	Pacific reed grass	perennial (cespítose)	moist coastal grassland
	<i>Cortaderia jubata</i> *	jubatagrass	perennial (cespítose)	disturbed sites; bluffs; roadcuts
	<i>Cynodon dactylon</i> *	Bermudagrass	perennial (rhizomes)	disturbed sites
	<i>Cynosurus echinatus</i> *	dogtail grass	annual	grassland; openings in woodlands
	<i>Dactylis glomerata</i> *	orchard grass	perennial (rhizomes)	grassland; disturbed sites
	<i>Danthonia californica</i> var. <i>californica</i>	California oatgrass	perennial (cespítose)	moist grassland
	<i>Danthonia pilosa</i> *	hairy oatgrass	perennial (cespítose)	disturbed sites
	<i>Deschampsia cespitosa</i> ssp. <i>holciformis</i>	tufted hairgrass	perennial (cespítose)	grassland
	<i>D. elongata</i>	slender hairgrass	perennial (cespítose)	moist grassland, openings in wood
	<i>Digitaria ischaemum</i> *	crabgrass	annual	disturbed sites

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Poaceae (Grass Family) aka Graminae (continued)				
<i>Distichlis spicata</i>	saltgrass	perennial (rhizomes)	salt marshes, saline seeps	
<i>Elymus glaucus</i>	blue wildrye	perennial (rhizomes)	grassland; woodland	
<i>E. trachycaulus</i> ssp. <i>subsecundus</i>	bearded wheatgrass	perennial (rhizomes)	moist grassland, woodland	
<i>Festuca arundinacea</i> *	tall fescue	perennial (cespítose)	moist grassland; disturbed sites	
<i>F. californica</i>	California fescue	perennial (cespítose)	scrub; grassland; woodland	
<i>F. idahoensis</i>	Idaho fescue	perennial (cespítose)	scrub; grassland; woodland	
<i>F. pratensis</i> *	meadow fescue	perennial (cespítose)	disturbed sites; roadsides	
<i>F. rubra</i> ¹	red fescue	perennial (cespítose)	grassland	
<i>Hierochloe occidentalis</i>	vanilla grass	perennial (rhizomes)	forest; scrub	
<i>Holcus lanatus</i> *	purple velvet grass	perennial (clumping)	moist grassland; disturbed sites	
<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>	meadow barley	perennial (rhizomes)	moist grassland	
<i>H. brachyantherum</i> ssp. <i>californicum</i>	meadow barley	perennial (rhizomes)	scrub; grassland	
<i>H. murinum</i> * ssp. <i>leporinum</i> ¹	farmer's foxtail	annual	grassland; disturbed sites	
<i>Lagurus ovatus</i> *	hare's tail	annual	grassland; disturbed sites	
<i>Lolium multiflorum</i> *	Italian ryegrass	annual; biennial	grassland; disturbed sites	
<i>Melica torreyana</i>	Torrey's melic	perennial (rhizomes)	woodland; scrub; forest	
<i>Nassella lepida</i>	foothill needlegrass	perennial (cespítose)	scrub; grassland	
<i>N. pulchra</i>	purple needlegrass	perennial (cespítose)	grassland	
<i>Panicum oligosanthes</i> var. <i>scribnerianum</i> ¹	millet	perennial	moist grassland (upper prairie)	
<i>Phalaris aquatica</i> * ¹	Harding grass	perennial (clumped)	moist, disturbed sites	
<i>Phleum pratense</i> *	cultivated timothy	perennial (clumped)	disturbed sites	
<i>Poa annua</i> * ¹	annual bluegrass	annual	moist, disturbed sites	
<i>P. douglasii</i>	sand dune bluegrass	perennial (rhizomes)	dunes; beaches	
<i>P. unilateralis</i>	ocean bluff bluegrass	perennial (cespítose)	grassland; coastal bluffs, rock outc.	
<i>Polypogon interruptus</i> *	ditch beard grass	perennial (clumped)	low-lying damp places	
<i>P. monspeliensis</i> *	rabbitfoot grass	annual	low-lying, vernally wet places	
<i>Trisetum canescens</i>	tall triisetum	perennial (cespítose)	moist areas	

Vascular Plants of Salt Point State Park

	<i>Vulpia bromoides</i> * ¹	six-weeks fescue	annual	moist areas; marshy ground
	<i>V. myuros</i> * var. <i>hirsuta</i>	foxtail fescue	annual	many habitats
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Typhaceae (Cattail Family) including Sparganiaceae (Best, et al.) - 2 taxa				
	<i>Sparganium erectum</i> ssp. <i>stoloniferum</i>	bur-reed	perennial (rhizome)	ponds, marshes, streams
	<i>Typha latifolia</i>	soft-flag; broad-leaved cattail	perennial (rhizome)	pond edges, marshes
Footnotes:				
1. Taxon not documented as occurring specifically at Salt Point, Horseshoe Cove, Gerstle Cove, Stump Beach in Best, et al., <i>A Flora of So</i>				
2. Nomenclature or spelling according to Best, et al. (1996)				
3. Nomenclature according to Patterson, et al. (Madrono 2002)				
453 taxa documented				
				List compiled 02/2002
				Peter J. Warner

Vascular Plants of Salt Point State Park

Salt Point State Park - Vascular Plants				
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Division SPHENOPHYTA				
Equisetaceae (Horsetail Family) - 3 taxa				
	<i>Equisetum arvense</i>	common horsetail	perennial	wet soils near streams, seeps
	<i>E. hyemale</i> ssp. <i>affine</i>	common scouring rush	perennial	moist scrub near streams
	<i>E. telmateia</i> ssp. <i>braunii</i>	giant horsetail	perennial	streambanks, wet soils
Division PTEROPHYTA				
Blechnaceae (Deer Fern Family) - 2 taxa				
	<i>Blechnum spicant</i>	deer fern	perennial	moist woods, canyons
	<i>Woodwardia fimbriata</i>	western chain fern	perennial	along creeks, in springs, seeps
Dennstaedtiaceae (Bracken Family) - 1 taxon				
	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken	perennial	widespread in grassland, scrub
Dryopteridaceae (Wood Fern Family) - 4 taxa				
	<i>Athyrium filix-femina</i> var. <i>cyclosum</i>	lady fern	perennial	moist woods, forests
	<i>Cystopteris fragilis</i>	fragile fern	perennial	moist, shaded streambanks
	<i>Dryopteris arguta</i>	wood fern	perennial	woods, forests
	<i>Polystichum munitum</i>	western sword fern	perennial	damp forests, scrub, along streams
Ophioglossaceae (Adder's-tongue Family) - 1 taxon				
	<i>Botrychium multifidum</i>	grape-fern	perennial	wet grassland, scrub
Polypodiaceae (Polypody Family) - 3 taxa				
	<i>Polypodium californicum</i> ¹	California polypody	perennial	damp woods, stream banks
	<i>P. glycyrrhiza</i>	licorice fern	perennial	damp canyons, on rocks, logs
	<i>P. scouleri</i>	leather leaf fern	perennial	on rocks, cliffs near ocean
Pteridaceae (Brake Family) - 3 taxa				
	<i>Adiantum aleuticum</i>	five-finger fern	perennial	wooded riparian
	<i>A. jordanii</i>	California maidenhair	perennial	damp woods
	<i>Pentagramma triangularis</i>	goldback fern	perennial	banks, cliffs, logs

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Division CONIFEROphyta			perennial	
Cupressaceae (Cypress Family) - 2 taxa				
<i>Cupressus goveniana</i> ssp. <i>pigmaea</i>	pygmy or Mendocino cypress	small tree	pygmy forest	
<i>C. macrocarpa</i> ¹	Monterey cypress	tree	coastal grassland	
Pinaceae (Pine Family) - 5 taxa				
<i>Abies grandis</i>	grand fir	tree	forest	
<i>Pinus contorta</i> ssp. <i>bolanderi</i>	pygmy pine	small tree	pygmy forest	
<i>Pinus muricata</i>	Bishop pine	tree	forest	
<i>Pseudotsuga menziesii</i>	Douglas-fir	tree	forest	
<i>Tsuga heterophylla</i> ¹	western hemlock	tree	forest	
Taxaceae (Yew Family) - 1 taxon				
<i>Torreya californica</i> ¹	California nutmeg	shrub; tree	moist, shady woodland, forest	
Taxodiaceae (Bald-cypress Family) - 1 taxon				
<i>Sequoia sempervirens</i>	coast redwood	tree	redwood forest	
Division ANTHOPHYTA				
Class DICOTYLEDONES				
Aizoaceae (Carpetweed or Fig-marigold Family) - 2 taxa				
<i>Carpobrotus chilensis</i> *	sea fig	perennial (trailing, mat-forming)		
<i>C. edulis</i> *	Hottentot-fig; iceplant	perennial (trailing, mat-forming)		
Anacardiaceae (Cashew or Sumac Family) - 1 taxon				
<i>Toxicodendron diversilobum</i>	poison-oak	shrub; vine	scrub; woodland; forest	
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae - 20 taxa				
<i>Angelica hendersonii</i>	angelica	perennial	scrub; grassland	
<i>Apium graveolens</i> *	celery	annual; perennial	damp areas	
<i>Conioselinum pacificum</i> ¹	conioselinum	perennial	scrub	
<i>Conium maculatum</i> *	poison hemlock	perennial	moist, disturbed sites; scrub, stream	
<i>Daucus carota</i> *	Queen Anne's lace	annual	grassland; disturbed sites	
<i>D. pusillus</i>	rattlesnake weed	annual	grassland	
<i>Eryngium armatum</i>	coyote thistle	perennial	moist grassland	

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae (continued)				
<i>Foeniculum vulgare</i> *1	fennel	perennial	disturbed sites; roadsides	
<i>Glehnia littoralis</i> ssp. <i>leiocarpa</i>	beach silvertop	perennial	coastal strand	
<i>Heracleum lanatum</i> ¹	cow parsnip	perennial	moist coastal scrub, grassland	
<i>Ligusticum apiifolium</i>	lovage	perennial	shady banks, grassland	
<i>Oenanthe sarmentosa</i>	ditch-carrot	perennial	marshes; streamsides	
<i>Osmorhiza chilensis</i> ¹	sweet cicely	perennial	moist, shady woodland, forest	
<i>Perideridia gairdnerii</i> ssp. <i>gairdnereii</i>	yampah	perennial	grassland; woodland	
<i>Sanicula arctopoides</i>	footsteps-of-spring	perennial	coastal bluffs; grassland	
<i>S. bipinnatifida</i>	purple sanicle	perennial	grassland	
<i>S. crassicaulis</i>	snakeroot	perennial	grassland; woodland	
<i>S. laciniata</i> ¹	cutleaf sanicle	perennial	grassland; scrub	
<i>Scandix pecten-veneris</i> * ¹	Venus's needle	annual	disturbed sites; grassland	
<i>Torilis arvensis</i> * ¹	hedge-parsley	annual	woodland; scrub; grassland	
Apocynaceae (Dogbane Family) - 1 taxon				
<i>Vinca major</i> *	periwinkle	perennial (groundcover)	disturbed sites; homesteads	
Araliaceae (Ginseng Family) 1 taxon				
<i>Aralia californica</i>	elk-clover; spikenard	perennial	moist sites; streamsides	
Aristolochiaceae (Pipevine Family) - 1 taxon				
<i>Asarum caudatum</i> ¹	wild-ginger	perennial	streamsides; moist thickets	
Asteraceae (Sunflower Family) aka Compositae - 67 taxa				
<i>Achillea millefolium</i>	yarrow	perennial	grassland	
<i>Adenocaulon bicolor</i> ¹	trailfinder	perennial	shaded woodland, forest	
<i>Agoseris apargioides</i> ¹	seaside agoseris	perennial	sandy soils; grassland; dunes	
<i>A. heterophylla</i> ¹	annual mountain dandelion	annual	grassland	
<i>Ambrosia chamissonis</i>	beach-bur	perennial	beach; dunes	
<i>Anaphalis margaritacea</i> ¹	pearly everlasting	perennial	grassland; scrub	
<i>Artemisia californica</i> ¹	California sagebrush	shrub	scrub; grassland	
<i>A. douglasiana</i>	mugwort	perennial	wetlands; grassland; scrub	

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
	<i>Artemisia suksdorfii</i>	coastal mugwort	perennial	wetlands; scrub; grassland
	<i>Aster chilensis</i> ¹	aster	perennial	scrub; grassland
	<i>A. radulimus</i> ¹	aster	perennial	woodland; scrub
	<i>Baccharis pilularis</i>	coyote brush	shrub	scrub; grassland
	<i>Bellis perennis</i> *	English daisy	perennial	moist grassland; disturbed sites
	<i>Calycadenia multiglandulosa</i>	sticky rosin weed	annual	dry grassland, slopes
	<i>Carduus pycnocephalus</i> *	Italian thistle	annual	grassland; disturbed sites
	<i>Chamomilla saevoelens</i> * ¹	pineapple weed	annual	disturbed sites
	<i>Cichorium intybus</i> *	chicory	perennial	disturbed sites; grassland
	<i>Cirsium douglasii</i> var. <i>breweri</i>	swamp thistle	biennial; perennial	wet grassland; scrub
	<i>C. occidentale</i> var. <i>occidentale</i>	cobweb thistle	biennial	grassland; coastal slopes; dunes
	<i>C. quercetorum</i> ¹	brownie thistle	perennial	grassland
	<i>C. vulgare</i> *	bull thistle	biennial	grassland; scrub; disturbed, moist s
	<i>Conyza canadensis</i> ¹	horseweek	annual	disturbed sites
	<i>Cotula coronopifolia</i> *	brass-buttons	perennial	coastal wetlands
	<i>Delairea odorata</i> * (= <i>Senecio mikanioides</i>) ²	Cape-ivy	perennial (vinelike)	scrub; woodland; disturbed sites
	<i>Erechtites glomerata</i> *	Australian fireweed	perennial	scrub, grassland, woodland
	<i>E. minima</i> *	Australian fireweed	annual; perennial	scrub, grassland, woodland
	<i>Erigeron glaucus</i>	seaside daisy	perennial	coastal bluffs, grassland
	<i>Eriophyllum lanatum</i> var. <i>arachnoideum</i> ¹	woolly sunflower	perennial	banks, slopes; scrub
	<i>E. staechadifolium</i>	lizardtail; seaside woolly sunflow	shrub	coastal bluffs; scrub
	<i>Filago californica</i>	herba impia	annual	grassland; scrub
	<i>Gnaphalium californicum</i> ¹	cudweed	annual; biennial	scrub; grassland
	<i>G. luteo-album</i> *	cudweed	annual	grassland; disturbed sites
	<i>G. purpureum</i>	cudweed	annual; perennial	grassland; disturbed sites
	<i>G. ramosissimum</i> ¹	cudweed	biennial	grassland; scrub
	<i>G. stramineum</i>	cudweed	annual; biennial	scrub; slopes
	<i>Grindelia stricta</i> var. <i>platyphylla</i>	gumplant	perennial	grassland; coastal bluffs, slopes

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
	<i>Helenium puberulum</i>	sneezeweed	annual; perennial	wetlands
	<i>Hemizonia congesta</i> ssp. <i>clevelandii</i> ¹	hayfield tarweed	annual	grassland (upper prairie)
	<i>H. corymbosa</i> ssp. <i>corymbosa</i> ¹	tarplant	annual	grassland
	<i>Hesperevax sparsiflora</i> var. <i>sparsiflora</i>	hesperevax	annual	grassland; scrub
	<i>Heterotheca sessiliflora</i> ssp. <i>bolanderi</i>	goldenaster	perennial	grassland; coastal bluffs
	<i>Hieracium albiflorum</i>	hawkweed	perennial	dry woodland; forest
	<i>Hypochaeris glabra</i> *	smooth cat's-ear	annual	grassland; dunes; disturbed sites
	<i>H. radicata</i> *	rough cat's-ear	perennial	grassland; disturbed sites
	<i>Lasthenia californica</i>	goldfields	annual	grassland
	<i>L. glaberrima</i> ¹	marsh lasthenia	annual	salt marsh; wetlands
	<i>L. macrantha</i> ssp. <i>macrantha</i>	goldfields	perennial	grassland
	<i>Layia gaillardioides</i> ¹	layia	annual	scrub; grassland
	<i>L. platyglossa</i> ssp. <i>platyglossa</i>	tidy-tips	annual	grassland; coastal bluffs
	<i>Leontodon taraxacoides</i> *	hawkbit	annual; perennial	grassland
	<i>Lessingia filaginifolia</i> var. <i>californica</i>	California-aster	perennial	grassland; slopes
	<i>Leucanthemum maximum</i> *	daisy	perennial	coastal strand
	<i>Madia exigua</i> ¹	threadstem madia	annual	grassland; woodland
	<i>M. madiooides</i>	woodland madia	perennial	woodland; forest
	<i>M. minima</i> ¹	little madia	annual	woodland; forest; scrub
	<i>Microseris laciniata</i> ¹	microseris	perennial	grassland
	<i>Petasites frigidus</i> var. <i>palmatus</i>	coltsfoot	perennial	streamsides; shaded wetlands
	<i>Psilocarphus tenellus</i> var. <i>tenellus</i> ¹	woolly-heads	annual	disturbed, compacted soil
	<i>Senecio vulgaris</i> * ¹	groundsel	annual	disturbed sites
	<i>Silybum marianum</i> *	milk thistle	annual; biennial	disturbed sites
	<i>Solidago canadensis</i> ssp. <i>elongata</i> ¹	Canada goldenrod	perennial	scrub
	<i>S. spathulata</i> ssp. <i>spathulata</i>	coast goldenrod	perennial	sandy soils; dunes
	<i>Soliva sessilis</i> * ¹	soliva	annual	disturbed, compacted soil
	<i>Sonchus asper</i> * ssp. <i>asper</i> ¹	prickly sow-thistle	annual	disturbed sites; grassland

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
	<i>Sonchus oleraceus</i> *	common sow-thistle	annual	disturbed sites; grassland; scrub
	<i>Taraxacum officinale</i> * ¹	dandelion	perennial	disturbed, moist sites; grassland
	<i>Wyethia angustifolia</i>	narrow-leaved mule's-ears	perennial	grassland
Berberidaceae (Barberry Family) - 2 taxa				
	<i>Berberis nervosa</i>	longleaf mahonia	shrub	woodland
	<i>Vancouveria planipetala</i>	redwood-ivy; inside-out flower	subshrub (groundcover)	moist coniferous forest
Betulaceae (Birch Family) - 2 taxa				
	<i>Alnus rubra</i> ¹	red alder	tree	streamsides
	<i>Corylus cornuta</i> var. <i>californica</i>	hazelnut; filbert	shrub	damp woodland; forest
Boraginaceae (Borage Family) - 3 taxa				
	<i>Amsinckia spectabilis</i>	seaside fiddleneck	annual	coastal grassland; dunes
	<i>Myosotis discolor</i> *	blue scorpion-grass	annual; biennial	disturbed sites
	<i>Plagiobothrys</i> sp.	popcorn flower	annual	wet grassland
Brassicaceae (Mustard Family) aka Cruciferae - 12 taxa				
	<i>Barbarea orthoceras</i>	winter cress	perennial	wet sites
	<i>Brassica nigra</i> * ¹	black mustard	annual	disturbed sites
	<i>B. rapa</i> *	field mustard	annual	disturbed sites, grassland
	<i>Cakile maritima</i> *	sea rocket	annual	dunes, beaches
	<i>Capsella bursa-pastoris</i> * ¹	shepherd's purse	annual	disturbed sites
	<i>Cardamine californica</i> var. <i>californica</i>	milk maids	perennial	grassland, woodland, forest
	<i>C. oligosperma</i> ¹	bitter cress	annual	disturbed sites, grassland, scrub
	<i>Erysimum menziesii</i> ssp. <i>concinnum</i>	wallflower	biennial/perennial	grassland
	<i>Hirschfeldia incana</i> * ¹	summer mustard	biennial to perennial	disturbed sites
	<i>Lepidium nitidum</i> var. <i>nitidum</i>	peppergrass	annual	disturbed sites
	<i>Raphanus sativus</i> * ¹	wild radish	annual	disturbed sites
	<i>Rorippa nasturtium-aquaticum</i>	water cress	perennial	wet places, streams, seeps

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Campanulaceae (Bellflower Family) - 1 taxon				
	<i>Campanula californica</i>	swamp harebell	perennial	freshwater swamp
Caprifoliaceae (Honeysuckle Family) - 3 taxa				
	<i>Lonicera hispidula</i> var. <i>vacillans</i>	honeysuckle	perennial vine	woodland; scrub
	<i>L. involucrata</i>	twinberry	shrub	wet scrub; streamsides
	<i>Sambucus racemosa</i>	red elderberry	shrub	wet places; scrub
Caprifoliaceae (Honeysuckle Family continued)				
	<i>Symporicarpos albus</i> var. <i>laevigatus</i> ¹	snowberry	shrub	wet places; streamsides
Caryophyllaceae (Pink Family) - 13 taxa				
	<i>Cardionema ramosissimum</i>	sand mat	perennial	coastal grassland; dunes
	<i>Cerastium arvense</i>	field chickweed	perennial	grassland; rocky sites
	<i>C. glomeratum</i> *	mouse-ear chickweed	annual	grassland; disturbed sites
	<i>Polycarpon tetraphyllum</i> *	four-leaved allseed	annual	grassland; dunes; disturbed sites
	<i>Sagina apetala</i>	dwarf pearlwort	annual	disturbed sites; grassland
	<i>S. maxima</i> ssp. <i>crassicaulis</i>	big pearlwort	perennial	coastal bluffs
	<i>S. procumbens</i>	Arctic pearlwort	perennial	moist, sandy or gravelly places
	<i>Silene gallica</i> *	windmill pink	annual	grassland; disturbed sites
	<i>Spergula arvensis</i> *	stickwort	annual	grassland; disturbed sites
	<i>Spergularia macrotheca</i>	sticky sand-spurrey	perennial	rocky, sandy coastal grassland, bluf
	<i>S. marina</i>	coastal sand-spurrey	annual	muddy, alkaline marshy places
	<i>S. rubra</i> *	sand-spurrey	annual; perennial	disturbed, compacted soil
	<i>Stellaria media</i> *	common chickweed	annual	moist, disturbed sites
Celastraceae (Staff-tree Family) - 2 taxa				
	<i>Euonymus occidentalis</i>	western burning bush	shrub	moist, shady canyons
	<i>Paxistima myrsinoides</i>	Oregon boxwood	subshrub	shaded slopes in woodland
Chenopodiaceae (Goosefoot Family) - 1 taxon				
	<i>Atriplex californica</i>	saltbush	perennial	sandy places; marshes

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Convolvulaceae (Morning-glory Family) - 4 taxa				
	<i>Calystegia occidentalis</i>	morning-glory	perennial	scrub
	<i>C. purpurata</i> ssp. <i>saxicola</i>	morning-glory	perennial	scrub
	<i>C. soldanella</i>	beach morning-glory	perennial	coastal strand; dunes
	<i>Dichondra donelliana</i>	dichondra	perennial (mat-form)	grassland
Crassulaceae (Stonecrop Family) - 2 taxa				
	<i>Crassula connata</i>	sand pygmy-weed	annual	disturbed sites; grassland
	<i>Dudleya farinosa</i>	live-forever	perennial	coastal bluffs; rocky sites
Cucurbitaceae (Gourd Family) - 2 taxa				
	<i>Marah fabaceus</i> var. <i>fabaceus</i>	wild cucumber	perennial (trailing)	scrub; grassland; woodland
	<i>M. oreganus</i>	coast man-root	perennial (trailing)	scrub; canyons
Dipsacaceae (Teasel Family) - 1 taxon				
	<i>Dipsacus sativus</i> *	Fuller's teasel	biennial	disturbed sites; roadside banks
Ericaceae (Heather Family) - 12 taxa				
	<i>Arbutus menziesii</i>	Pacific madrone	tree	woodland; forest
	<i>Arctostaphylos canescens</i>	hoary manzanita	shrub	chaparral; scrub woodland
	<i>A. columbiana</i>	hairy manzanita	shrub	woodland openings
	<i>A. nummularia</i>	shatterberry; fire manzanita	shrub	woodland openings; pygmy forest
	<i>A. uva-ursi</i> forma <i>coactilis</i> ²	bearberry	shrub (low)	marine terrace
	<i>Gaultheria shallon</i>	salal	shrub (low)	woodland; forest; scrub
	<i>Hemitomes congestum</i>	gnome plant	perennial (non-green)	forest, in humus
	<i>Ledum glandulosum</i>	western Labrador-tea	shrub	coastal wetlands
	<i>Rhododendron macrophyllum</i>	California rose-bay	shrub	woodland; forest; pygmy forest
	<i>R. occidentale</i>	western azalea	shrub	moist sites; streambanks
	<i>Vaccinium ovatum</i>	blue huckleberry	shrub	woodland; forest; scrub
	<i>V. parvifolium</i>	red huckleberry	shrub	woodland; forest
Euphorbiaceae (Spurge Family) - 2 taxa				
	<i>Eremocarpus setigerus</i>	dove weed; turkey-mullein	annual	disturbed sites, grassland

Vascular Plants of Salt Point State Park

	<i>Euphorbia peplus</i> * ¹	petty spurge	annual	disturbed moist sites
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Fabaceae (Legume Family) aka Leguminosae - 30 taxa				
<i>Acacia pycnantha</i> * ¹	golden wattle	tree	disturbed sites (old homestead)	
<i>Astragalus nuttallii</i> var. <i>virgatus</i>	milkvetch	perennial	sandy soils; coastal strand; scrub; bl	
<i>Cytisus scoparius</i> *	Scotch broom	shrub	disturbed sites; roadsides; grassland	
<i>Genista monspessulana</i> *	French broom	shrub	disturbed sites; roadsides; grassland	
<i>Lathyrus vestitus</i>	hillside pea	perennial	scrub; woodland	
<i>Lotus angustissimus</i> *	lotus	annual	disturbed sites; grassland	
<i>L. formosissimus</i>	harlequin lotus	perennial	moist grassland	
<i>L. heermannii</i> var. <i>orbicularis</i>	lotus	perennial	scrub	
<i>L. humistratus</i>	lotus	annual	grassland; open, gravelly sites, slop	
<i>L. junceus</i> var. <i>biolettii</i>	lotus	perennial	coastal sand; scrub	
<i>L. micranthus</i> ¹	lotus	annual	grassland; open sites, slopes	
<i>L. purshianus</i> var. <i>purshianus</i>	Spanish clover	annual	disturbed sites; grassland	
<i>L. tenuis</i> * ²	bird's-foot trefoil	perennial	disturbed sites; grassland	
<i>L. wrangelianus</i>	lotus	annual	grassland	
<i>Lupinus arboreus</i> var. <i>arboreus</i> * [?]	yellow bush lupine	shrub	scrub; dunes	
<i>L. variicolor</i>	vari-colored lupine	perennial	grassland; coastal bluffs	
<i>Medicago polymorpha</i> *	bur-clover	annual	disturbed sites	
<i>Melilotus albus</i> * ²	white sweetclover	annual; biennial	disturbed sites; roadsides	
<i>M. indicus</i> * ²	sourclover	annual	disturbed sites; roadsides	
<i>Trifolium dubium</i> *	shamrock clover	annual	disturbed sites; grassland	
<i>T. macraei</i>	Chile clover	annual	grassland; disturbed sites	
<i>T. microcephalum</i>	smallhead clover	annual	grassland; disturbed sites	
<i>T. repens</i> *	white clover	perennial	moist, disturbed sites	
<i>T. subterraneum</i> *	subterranean clover	perennial	grassland; disturbed sites	
<i>T. variegatum</i>	whitetip clover	annual	grassland; moist sites	
<i>T. willdenovii</i> ¹	tomcat clover	annual	grassland; scrub; open sites	

Vascular Plants of Salt Point State Park

	<i>T. wormskioldii</i>	cow clover	perennial	grassland; moist sites
	<i>Vicia americana</i> var. <i>americana</i>	American vetch	perennial	moist woodland; forest; grassland
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Fabaceae (Legume Family) aka Leguminosae (continued)				
	<i>Vicia gigantea</i>	giant vetch	perennial	scrub; seeps; streamsides
	<i>V. sativa</i> * ssp. <i>nigra</i>	common vetch	annual	grassland; disturbed site
Fagaceae (Oak, Beech Family) - 7 taxa				
	<i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i>	giant chinquapin	tree	forest
	<i>C. chrysophylla</i> var. <i>minor</i>	dwarf chinquapin	shrub	pygmy forest
	<i>Lithocarpus densiflorus</i> var. <i>densiflorus</i> ¹	tanbark oak	tree	forest
	<i>Quercus agrifolia</i>	coast live oak	tree	woodland; forest
	<i>Q. chrysolepis</i>	canyon live oak	tree	forest
	<i>Q. garryana</i> var. <i>garryana</i>	Oregon oak	tree	woodland
	<i>Q. parvula</i> var. <i>shrevei</i>	Shreve oak	forest	forest
Garryaceae (Silktassel Family) - 1 taxon				
	<i>Garrya elliptica</i>	silktassel	shrub	scrub; coastal bluffs
Gentianaceae (Gentian Family) - 3 taxa				
	<i>Centaurium davyi</i>	centaurium	annual	moist grassland
	<i>Cicendia quadrangularis</i>	cicendia	annual	grassland
	<i>Gentiana affinis</i> var. <i>ovata</i>	Oregon gentian	perennial	scrub
Geraniaceae (Geranium Family) - 6 taxa				
	<i>Erodium botrys</i> * ¹	broadleaf filaree	annual	disturbed sites; grassland
	<i>E. cicutarium</i> * ¹	red-stemmed filaree	annual	disturbed sites; grassland
	<i>Geranium carolinianum</i>	geranium	annual	shady woodland
	<i>G. dissectum</i> *	cutleaf geranium	annual	disturbed sites; grassland
	<i>G. molle</i> * ¹	softleaf geranium	annual; biennial	disturbed sites; grassland
	<i>Pelargonium grossularioides</i> * ¹	garden geranium	perennial	disturbed sites; roadsides
Hippocastanaceae (Buckeye Family) - 1 taxon				
	<i>Aesculus californica</i>	California buckeye	tree	woodland; slopes

Vascular Plants of Salt Point State Park

Salt Point State Park - Vascular Plants				
	Presence of taxa according to Best, et al. (1996), except as footnoted ¹ for personal observations			
	Taxonomic nomenclature follows Hickman, et al. (1993), except as footnoted ²			
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Division SPHENOPHYTA				
Equisetaceae (Horsetail Family) - 3 taxa				
	<i>Equisetum arvense</i>	common horsetail	perennial	wet soils near streams, seeps
	<i>E. hyemale</i> ssp. <i>affine</i>	common scouring rush	perennial	moist scrub near streams
	<i>E. telmateia</i> ssp. <i>braunii</i>	giant horsetail	perennial	streambanks, wet soils
Division PTEROPHYTA				
Blechnaceae (Deer Fern Family) - 2 taxa				
	<i>Blechnum spicant</i>	deer fern	perennial	moist woods, canyons
	<i>Woodwardia fimbriata</i>	western chain fern	perennial	along creeks, in springs, seeps
Dennstaedtiaceae (Bracken Family) - 1 taxon				
	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken	perennial	widespread in grassland, scrub
Dryopteridaceae (Wood Fern Family) - 4 taxa				
	<i>Athyrium filix-femina</i> var. <i>cyclosorum</i>	lady fern	perennial	moist woods, forests
	<i>Cystopteris fragilis</i>	fragile fern	perennial	moist, shaded streambanks
	<i>Dryopteris arguta</i>	wood fern	perennial	woods, forests
	<i>Polystichum munitum</i>	western sword fern	perennial	damp forests, scrub, along streams
Ophioglossaceae (Adder's-tongue Family) - 1 taxon				
	<i>Botrychium multifidum</i>	grape-fern	perennial	wet grassland, scrub
Polypodiaceae (Polypody Family) - 3 taxa				
	<i>Polypodium californicum</i> ¹	California polypody	perennial	damp woods, stream banks
	<i>P. glycyrrhiza</i>	licorice fern	perennial	damp canyons, on rocks, logs
	<i>P. scouleri</i>	leather leaf fern	perennial	on rocks, cliffs near ocean
Pteridaceae (Brake Family) - 3 taxa				
	<i>Adiantum aleuticum</i>	five-finger fern	perennial	wooded riparian
	<i>A. jordanii</i>	California maidenhair	perennial	damp woods
	<i>Pentagramma triangularis</i>	goldback fern	perennial	banks, cliffs, logs

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Division CONIFEROPHYTA			perennial	
Cupressaceae (Cypress Family) - 2 taxa				
	<i>Cupressus goveniana</i> ssp. <i>pigmaea</i>	pygmy or Mendocino cypress	small tree	pygmy forest
	<i>C. macrocarpa</i> *	Monterey cypress	tree	coastal grassland
Pinaceae (Pine Family) - 5 taxa				
	<i>Abies grandis</i>	grand fir	tree	forest
	<i>Pinus contorta</i> ssp. <i>bolanderi</i>	pygmy pine	small tree	pygmy forest
	<i>Pinus muricata</i>	Bishop pine	tree	forest
	<i>Pseudotsuga menziesii</i>	Douglas-fir	tree	forest
	<i>Tsuga heterophylla</i> ¹	western hemlock	tree	forest
Taxaceae (Yew Family) - 1 taxon				
	<i>Torreya californica</i> ¹	California nutmeg	shrub; tree	moist, shady woodland, forest
Taxodiaceae (Bald-cypress Family) - 1 taxon				
	<i>Sequoia sempervirens</i>	coast redwood	tree	redwood forest
Division ANTHOPHYTA				
Class DICOTYLEDONES				
Aizoaceae (Carpetweed or Fig-marigold Family) - 2 taxa				
	<i>Carpobrotus chilensis</i> *	sea fig	perennial (trailing, mat-forming)	
	<i>C. edulis</i> *	Hottentot-fig; iceplant	perennial (trailing, mat-forming)	
Anacardiaceae (Cashew or Sumac Family) - 1 taxon				
	<i>Toxicodendron diversilobum</i>	poison-oak	shrub; vine	scrub; woodland; forest
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae - 20 taxa				
	<i>Angelica hendersonii</i>	angelica	perennial	scrub; grassland
	<i>Apium graveolens</i> *	celery	annual; perennial	damp areas
	<i>Conioselinum pacificum</i> ¹	conioselinum	perennial	scrub
	<i>Conium maculatum</i> *	poison hemlock	perennial	moist, disturbed sites; scrub, stream
	<i>Daucus carota</i> *	Queen Anne's lace	annual	grassland; disturbed sites
	<i>D. pusillus</i>	rattlesnake weed	annual	grassland
	<i>Eryngium armatum</i>	coyote thistle	perennial	moist grassland

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae (continued)				
	<i>Foeniculum vulgare</i> * ¹	fennel	perennial	disturbed sites; roadsides
	<i>Glehnia littoralis</i> ssp. <i>leiocarpa</i>	beach silvertop	perennial	coastal strand
	<i>Heracleum lanatum</i> ¹	cow parsnip	perennial	moist coastal scrub, grassland
	<i>Ligusticum apiifolium</i>	lovage	perennial	shady banks, grassland
	<i>Oenanthe sarmentosa</i>	ditch-carrot	perennial	marshes; streamsides
	<i>Osmorrhiza chilensis</i> ¹	sweet cicely	perennial	moist, shady woodland, forest
	<i>Perideridia gairdnerii</i> ssp. <i>gairdnereii</i>	yampah	perennial	grassland; woodland
	<i>Sanicula arctopoides</i>	footsteps-of-spring	perennial	coastal bluffs; grassland
	<i>S. bipinnatifida</i>	purple sanicle	perennial	grassland
	<i>S. crassicaulis</i>	snakeroot	perennial	grassland; woodland
	<i>S. laciniata</i> ¹	cutleaf sanicle	perennial	grassland; scrub
	<i>Scandix pecten-veneris</i> * ¹	Venus's needle	annual	disturbed sites; grassland
	<i>Torilis arvensis</i> * ¹	hedge-parsley	annual	woodland; scrub; grassland
Apocynaceae (Dogbane Family) - 1 taxon				
	<i>Vinca major</i> *	periwinkle	perennial (groundcover)	disturbed sites; homesteads
Araliaceae (Ginseng Family) 1 taxon				
	<i>Aralia californica</i>	elk-clover; spikenard	perennial	moist sites; streamsides
Aristolochiaceae (Pipevine Family) - 1 taxon				
	<i>Asarum caudatum</i> ¹	wild-ginger	perennial	streamsides; moist thickets
Asteraceae (Sunflower Family) aka Compositae - 67 taxa				
	<i>Achillea millefolium</i>	yarrow	perennial	grassland
	<i>Adenocaulon bicolor</i> ¹	trailfinder	perennial	shaded woodland, forest
	<i>Agoseris apargioides</i> ¹	seaside agoseris	perennial	sandy soils; grassland; dunes
	<i>A. heterophylla</i> ¹	annual mountain dandelion	annual	grassland
	<i>Ambrosia chamissonis</i>	beach-bur	perennial	beach; dunes
	<i>Anaphalis margaritacea</i> ¹	pearly everlasting	perennial	grassland; scrub
	<i>Artemisia californica</i> ¹	California sagebrush	shrub	scrub; grassland
	<i>A. douglasiana</i>	mugwort	perennial	wetlands; grassland; scrub

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
	<i>Artemisia suksdorfii</i>	coastal mugwort	perennial	wetlands; scrub; grassland
	<i>Aster chilensis</i> ¹	aster	perennial	scrub; grassland
	<i>A. radulinus</i> ¹	aster	perennial	woodland; scrub
	<i>Baccharis pilularis</i>	coyote brush	shrub	scrub; grassland
	<i>Bellis perennis</i> *	English daisy	perennial	moist grassland; disturbed sites
	<i>Calycadenia multiglandulosa</i>	sticky rosin weed	annual	dry grassland, slopes
	<i>Carduus pycnocephalus</i> *	Italian thistle	annual	grassland; disturbed sites
	<i>Chamomilla saevoeolens</i> * ¹	pineapple weed	annual	disturbed sites
	<i>Cichorium intybus</i> *	chicory	perennial	disturbed sites; grassland
	<i>Cirsium douglasii</i> var. <i>breweri</i>	swamp thistle	biennial; perennial	wet grassland; scrub
	<i>C. occidentale</i> var. <i>occidentale</i>	cobweb thistle	biennial	grassland; coastal slopes; dunes
	<i>C. quercetorum</i> ¹	brownie thistle	perennial	grassland
	<i>C. vulgare</i> *	bull thistle	biennial	grassland; scrub; disturbed, moist si
	<i>Conyza canadensis</i> ¹	horseweed	annual	disturbed sites
	<i>Cotula coronopifolia</i> *	brass-buttons	perennial	coastal wetlands
	<i>Delairea odorata</i> * (= <i>Senecio mikanioides</i>) ²	Cape-ivy	perennial (vinelike)	scrub; woodland; disturbed sites
	<i>Erechtites glomerata</i> *	Australian fireweed	perennial	scrub, grassland, woodland
	<i>E. minima</i> *	Australian fireweed	annual; perennial	scrub, grassland, woodland
	<i>Erigeron glaucus</i>	seaside daisy	perennial	coastal bluffs, grassland
	<i>Eriophyllum lanatum</i> var. <i>arachnoideum</i> ¹	woolly sunflower	perennial	banks, slopes; scrub
	<i>E. staechadifolium</i>	lizardtail; seaside woolly sunflow	shrub	coastal bluffs; scrub
	<i>Filago californica</i>	herba impia	annual	grassland; scrub
	<i>Gnaphalium californicum</i> ¹	cudweed	annual; biennial	scrub; grassland
	<i>G. luteo-album</i> *	cudweed	annual	grassland; disturbed sites
	<i>G. purpureum</i>	cudweed	annual; perennial	grassland; disturbed sites
	<i>G. ramosissimum</i> ¹	cudweed	biennial	grassland; scrub
	<i>G. stramineum</i>	cudweed	annual; biennial	scrub; slopes
	<i>Grindelia stricta</i> var. <i>platyphylla</i>	gumplant	perennial	grassland; coastal bluffs, slopes

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
	<i>Helenium puberulum</i>	sneezeweed	annual; perennial	wetlands
	<i>Hemizonia congesta</i> ssp. <i>clevelandii</i> ¹	hayfield tarweed	annual	grassland (upper prairie)
	<i>H. corymbosa</i> ssp. <i>corymbosa</i> ¹	tarplant	annual	grassland
	<i>Hesperevax sparsiflora</i> var. <i>sparsiflora</i>	hesperevax	annual	grassland; scrub
	<i>Heterotheca sessiliflora</i> ssp. <i>bolanderi</i>	goldenaster	perennial	grassland; coastal bluffs
	<i>Hieracium albiflorum</i>	hawkweed	perennial	dry woodland; forest
	<i>Hypochaeris glabra</i> *	smooth cat's-ear	annual	grassland; dunes; disturbed sites
	<i>H. radicata</i> *	rough cat's-ear	perennial	grassland; disturbed sites
	<i>Lasthenia californica</i>	goldfields	annual	grassland
	<i>L. glaberrima</i> ¹	marsh lasthenia	annual	salt marsh; wetlands
	<i>L. macrantha</i> ssp. <i>macrantha</i>	goldfields	perennial	grassland
	<i>Layia gaillardioides</i> ¹	layia	annual	scrub; grassland
	<i>L. platyglossa</i> ssp. <i>platyglossa</i>	tidy-tips	annual	grassland; coastal bluffs
	<i>Leontodon taraxacoides</i> *	hawkbit	annual; perennial	grassland
	<i>Lessingia filaginifolia</i> var. <i>californica</i>	California-aster	perennial	grassland; slopes
	<i>Leucanthemum maximum</i> *	daisy	perennial	coastal strand
	<i>Madia exigua</i> ¹	threadstem madia	annual	grassland; woodland
	<i>M. madiooides</i>	woodland madia	perennial	woodland; forest
	<i>M. minima</i> ¹	little madia	annual	woodland; forest; scrub
	<i>Microseris laciniata</i> ¹	microseris	perennial	grassland
	<i>Petasites frigidus</i> var. <i>palmatus</i>	coltsfoot	perennial	streamsides; shaded wetlands
	<i>Psilocarphus tenellus</i> var. <i>tenellus</i> ¹	woolly-heads	annual	disturbed, compacted soil
	<i>Senecio vulgaris</i> * ¹	groundsel	annual	disturbed sites
	<i>Silybum marianum</i> *	milk thistle	annual; biennial	disturbed sites
	<i>Solidago canadensis</i> ssp. <i>elongata</i> ¹	Canada goldenrod	perennial	scrub
	<i>S. spathulata</i> ssp. <i>spathulata</i>	coast goldenrod	perennial	sandy soils; dunes
	<i>Soliva sessilis</i> * ¹	soliva	annual	disturbed, compacted soil
	<i>Sonchus asper</i> * ssp. <i>asper</i> ¹	prickly sow-thistle	annual	disturbed sites; grassland

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Asteraceae (Sunflower Family) aka Compositae (continued)				
	<i>Sonchus oleraceus</i> *	common sow-thistle	annual	disturbed sites; grassland; scrub
	<i>Taraxacum officinale</i> * ¹	dandelion	perennial	disturbed, moist sites; grassland
	<i>Wyethia angustifolia</i>	narrow-leaved mule's-ears	perennial	grassland
Berberidaceae (Barberry Family) - 2 taxa				
	<i>Berberis nervosa</i>	longleaf mahonia	shrub	woodland
	<i>Vancouveria planipetala</i>	redwood-ivy; inside-out flower	subshrub (groundcover)	moist coniferous forest
Betulaceae (Birch Family) - 2 taxa				
	<i>Alnus rubra</i> ¹	red alder	tree	streamsides
	<i>Corylus cornuta</i> var. <i>californica</i>	hazelnut; filbert	shrub	damp woodland; forest
Boraginaceae (Borage Family) - 3 taxa				
	<i>Amsinckia spectabilis</i>	seaside fiddleneck	annual	coastal grassland; dunes
	<i>Myosotis discolor</i> *	blue scorpion-grass	annual; biennial	disturbed sites
	<i>Plagiobothrys</i> sp.	popcorn flower	annual	wet grassland
Brassicaceae (Mustard Family) aka Cruciferae - 12 taxa				
	<i>Barbarea orthoceras</i>	winter cress	perennial	wet sites
	<i>Brassica nigra</i> * ¹	black mustard	annual	disturbed sites
	<i>B. rapa</i> *	field mustard	annual	disturbed sites, grassland
	<i>Cakile maritima</i> *	sea rocket	annual	dunes, beaches
	<i>Capsella bursa-pastoris</i> * ¹	shepherd's purse	annual	disturbed sites
	<i>Cardamine californica</i> var. <i>californica</i>	milk maids	perennial	grassland, woodland, forest
	<i>C. oligosperma</i> ¹	bitter cress	annual	disturbed sites, grassland, scrub
	<i>Erysimum menziesii</i> ssp. <i>concinnum</i>	wallflower	bien/perennial	grassland
	<i>Hirschfeldia incana</i> * ¹	summer mustard	biennial to perennial	disturbed sites
	<i>Lepidium nitidum</i> var. <i>nitidum</i>	peppergrass	annual	disturbed sites
	<i>Raphanus sativus</i> * ¹	wild radish	annual	disturbed sites
	<i>Rorippa nasturtium-aquaticum</i>	water cress	perennial	wet places, streams, seeps

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Campanulaceae (Bellflower Family) - 1 taxon				
	<i>Campanula californica</i>	swamp harebell	perennial	freshwater swamp
Caprifoliaceae (Honeysuckle Family) - 3 taxa				
	<i>Lonicera hispidula</i> var. <i>vacillans</i>	honeysuckle	perennial vine	woodland; scrub
	<i>L. involucrata</i>	twinberry	shrub	wet scrub; streamsides
	<i>Sambucus racemosa</i>	red elderberry	shrub	wet places; scrub
Caprifoliaceae (Honeysuckle Family continued)				
	<i>Symporicarpos albus</i> var. <i>laevigatus</i> ¹	snowberry	shrub	wet places; streamsides
Caryophyllaceae (Pink Family) - 13 taxa				
	<i>Cardionema ramosissimum</i>	sand mat	perennial	coastal grassland; dunes
	<i>Cerastium arvense</i>	field chickweed	perennial	grassland; rocky sites
	<i>C. glomeratum</i> *	mouse-ear chickweed	annual	grassland; disturbed sites
	<i>Polycarpon tetraphyllum</i> *	four-leaved allseed	annual	grassland; dunes; disturbed sites
	<i>Sagina apetala</i>	dwarf pearlwort	annual	disturbed sites; grassland
	<i>S. maxima</i> ssp. <i>crassicaulis</i>	big pearlwort	perennial	coastal bluffs
	<i>S. procumbens</i>	Arctic pearlwort	perennial	moist, sandy or gravelly places
	<i>Silene gallica</i> *	windmill pink	annual	grassland; disturbed sites
	<i>Spergula arvensis</i> *	stickwort	annual	grassland; disturbed sites
	<i>Spergularia macrotheca</i>	sticky sand-spurrey	perennial	rocky, sandy coastal grassland, bluf
	<i>S. marina</i>	coastal sand-spurrey	annual	muddy, alkaline marshy places
	<i>S. rubra</i> *	sand-spurrey	annual; perennial	disturbed, compacted soil
	<i>Stellaria media</i> *	common chickweed	annual	moist, disturbed sites
Celastraceae (Staff-tree Family) - 2 taxa				
	<i>Euonymus occidentalis</i>	western burning bush	shrub	moist, shady canyons
	<i>Paxistima myrsinoides</i>	Oregon boxwood	subshrub	shaded slopes in woodland
Chenopodiaceae (Goosefoot Family) - 1 taxon				
	<i>Atriplex californica</i>	saltbush	perennial	sandy places; marshes

Vascular Plants of Salt Point State Park

Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Convolvulaceae (Morning-glory Family) - 4 taxa				
	<i>Calystegia occidentalis</i>	morning-glory	perennial	scrub
	<i>C. purpurata</i> ssp. <i>saxicola</i>	morning-glory	perennial	scrub
	<i>C. soldanella</i>	beach morning-glory	perennial	coastal strand; dunes
	<i>Dichondra donelliana</i>	dichondra	perennial (mat-form)	grassland
Crassulaceae (Stonecrop Family) - 2 taxa				
	<i>Crassula connata</i>	sand pygmy-weed	annual	disturbed sites; grassland
	<i>Dudleya farinosa</i>	live-forever	perennial	coastal bluffs; rocky sites
Cucurbitaceae (Gourd Family) - 2 taxa				
	<i>Marah fabaceus</i> var. <i>fabaceus</i>	wild cucumber	perennial (trailing)	scrub; grassland; woodland
	<i>M. oreganus</i>	coast man-root	perennial (trailing)	scrub; canyons
Dipsacaceae (Teasel Family) - 1 taxon				
	<i>Dipsacus sativus</i> *	Fuller's teasel	biennial	disturbed sites; roadside banks
Ericaceae (Heather Family) - 12 taxa				
	<i>Arbutus menziesii</i>	Pacific madrone	tree	woodland; forest
	<i>Arctostaphylos canescens</i>	hoary manzanita	shrub	chaparral; scrub woodland
	<i>A. columbiana</i>	hairy manzanita	shrub	woodland openings
	<i>A. nummularia</i>	shatterberry; fire manzanita	shrub	woodland openings; pygmy forest
	<i>A. uva-ursi</i> forma <i>coactilis</i> ²	bearberry	shrub (low)	marine terrace
	<i>Gaultheria shallon</i>	salal	shrub (low)	woodland; forest; scrub
	<i>Hemitomes congestum</i>	gnome plant	perennial (non-gree	forest, in humus
	<i>Ledum glandulosum</i>	western Labrador-tea	shrub	coastal wetlands
	<i>Rhododendron macrophyllum</i>	California rose-bay	shrub	woodland; forest; pygmy forest
	<i>R. occidentale</i>	western azalea	shrub	moist sites; streambanks
	<i>Vaccinium ovatum</i>	blue huckleberry	shrub	woodland; forest; scrub
	<i>V. parvifolium</i>	red huckleberry	shrub	woodland; forest
Euphorbiaceae (Spurge Family) - 2 taxa				
	<i>Eremocarpus setigerus</i>	dove weed; turkey-mullein	annual	disturbed sites, grassland

Vascular Plants of Salt Point State Park

	<i>Euphorbia peplus</i> * ¹	petty spurge	annual	disturbed moist sites
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Fabaceae (Legume Family) aka Leguminosae - 30 taxa				
	<i>Acacia pycnantha</i> * ¹	golden wattle	tree	disturbed sites (old homestead)
	<i>Astragalus nuttallii</i> var. <i>virgatus</i>	milkvetch	perennial	sandy soils; coastal strand; scrub; b
	<i>Cytisus scoparius</i> *	Scotch broom	shrub	disturbed sites; roadsides; grassland
	<i>Genista monspessulana</i> *	French broom	shrub	disturbed sites; roadsides; grassland
	<i>Lathyrus vestitus</i>	hillside pea	perennial	scrub; woodland
	<i>Lotus angustissimus</i> *	lotus	annual	disturbed sites; grassland
	<i>L. formosissimus</i>	harlequin lotus	perennial	moist grassland
	<i>L. heermannii</i> var. <i>orbicularis</i>	lotus	perennial	scrub
	<i>L. humistratus</i>	lotus	annual	grassland; open, gravelly sites, slop
	<i>L. junceus</i> var. <i>biolettii</i>	lotus	perennial	coastal sand; scrub
	<i>L. micranthus</i> ¹	lotus	annual	grassland; open sites, slopes
	<i>L. purshianus</i> var. <i>purshianus</i>	Spanish clover	annual	disturbed sites; grassland
	<i>L. tenuis</i> * ²	bird's-foot trefoil	perennial	disturbed sites; grassland
	<i>L. wrangelianus</i>	lotus	annual	grassland
	<i>Lupinus arboreus</i> var. <i>arboreus</i> * [?]	yellow bush lupine	shrub	scrub; dunes
	<i>L. variicolor</i>	vari-colored lupine	perennial	grassland; coastal bluffs
	<i>Medicago polymorpha</i> *	bur-clover	annual	disturbed sites
	<i>Melilotus albus</i> * ²	white sweetclover	annual; biennial	disturbed sites; roadsides
	<i>M. indicus</i> * ²	sourclover	annual	disturbed sites; roadsides
	<i>Trifolium dubium</i> *	shamrock clover	annual	disturbed sites; grassland
	<i>T. macraei</i>	Chile clover	annual	grassland; disturbed sites
	<i>T. microcephalum</i>	smallhead clover	annual	grassland; disturbed sites
	<i>T. repens</i> *	white clover	perennial	moist, disturbed sites
	<i>T. subterraneum</i> *	subterranean clover	perennial	grassland; disturbed sites
	<i>T. variegatum</i>	whitetip clover	annual	grassland; moist sites
	<i>T. willdenovii</i> ¹	tomcat clover	annual	grassland; scrub; open sites

Vascular Plants of Salt Point State Park

	<i>T. wormskioldii</i>	cow clover	perennial	grassland; moist sites
	<i>Vicia americana</i> var. <i>americana</i>	American vetch	perennial	moist woodland; forest; grassland
Family	Latin Binomial (* = non-native)	Common Name	Life History/Form	Habitat
Fabaceae (Legume Family) aka Leguminosae (continued)				
	<i>Vicia gigantea</i>	giant vetch	perennial	scrub; seeps; streamsides
	<i>V. sativa</i> * ssp. <i>nigra</i>	common vetch	annual	grassland; disturbed site
Fagaceae (Oak, Beech Family) - 7 taxa				
	<i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i>	giant chinquapin	tree	forest
	<i>C. chrysophylla</i> var. <i>minor</i>	dwarf chinquapin	shrub	pygmy forest
	<i>Lithocarpus densiflorus</i> var. <i>densiflorus</i> ¹	tanbark oak	tree	forest
	<i>Quercus agrifolia</i>	coast live oak	tree	woodland; forest
	<i>Q. chrysolepis</i>	canyon live oak	tree	forest
	<i>Q. garryana</i> var. <i>garryana</i>	Oregon oak	tree	woodland
	<i>Q. parvula</i> var. <i>shrevei</i>	Shreve oak	forest	forest
Garryaceae (Silktassel Family) - 1 taxon				
	<i>Garrya elliptica</i>	silktassel	shrub	scrub; coastal bluffs
Gentianaceae (Gentian Family) - 3 taxa				
	<i>Centaurium davyi</i>	centaurium	annual	moist grassland
	<i>Cicendia quadrangularis</i>	cicendia	annual	grassland
	<i>Gentiana affinis</i> var. <i>ovata</i>	Oregon gentian	perennial	scrub
Geraniaceae (Geranium Family) - 6 taxa				
	<i>Erodium botrys</i> * ¹	broadleaf filaree	annual	disturbed sites; grassland
	<i>E. cicutarium</i> * ¹	red-stemmed filaree	annual	disturbed sites; grassland
	<i>Geranium carolinianum</i>	geranium	annual	shady woodland
	<i>G. dissectum</i> *	cutleaf geranium	annual	disturbed sites; grassland
	<i>G. molle</i> * ¹	softleaf geranium	annual; biennial	disturbed sites; grassland
	<i>Pelargonium grossularioides</i> * ¹	garden geranium	perennial	disturbed sites; roadsides
Hippocastanaceae (Buckeye Family) - 1 taxon				
	<i>Aesculus californica</i>	California buckeye	tree	woodland; slopes